



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



Super Cold Drawn 2205 Duplex Stainless Steel Tubing A790 Standard Industrial

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 19mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: 2205 / S32205 / 1.4462 / X2CRNIMON22-5-3
- Standard: A789 / A790
- Type: Seamless
- Technique: Cold Drawing
- Trade Terms: FOB,CNF,CIF
- Certificates: BV,DNV,NK,LR,ABS
- Highlight: **duplex stainless steel tube,
super duplex stainless steel pipe**



Product Description

TP304 / S30400 / 1.4301 / X5RCI18-10 Duplex Steel Pipe / A269 / A213 standard

The main products include steel sheets, steel plates, steel coils, steel pipes, steel tubes, steel bars, steel circles, square steel, hexagonal bar, steel tube, steel pipe fittings, flanges, etc. And also we can produce according to the requirements of the customer. The production capacity of our company is about 200000 tons per year. .

product description:

ITEM: TP304 / S30400 / 1.4301 / X5RCI18-10 Duplex Steel Pipe / A269 / A213 standard

Brand: RONSCO,BAOSTEEL, JISCO, TISCO, etc.

Material:

201.202.301.302.304.304L.310S.316.316L.321.430.430A.309S.2205.2507.

2520.430.410.440.904Lect. Or Customized

Standard: GB, AISI, ASTM, ASME, EN, BS, DIN, JIS

Size: ANSI /ASME size is under,other standard of size is for ready choice,O.D.:0.23"to 48"(5.8-1219mm)W.T.:0.04"to 2"(1.0-50.8mm)

Length: Max.18 Meter,NPS 1/8"-48" Schedule:5/5S,10/10S,20/20S,40/40S,80/80S,120/120S,160/160S according to ANSI B36.19/36.10

Surface: Satin Finish(180#.240#.320#).,Bright Finish(400#.600#.mirror),Mill Finish(2B),Hairline-Finish(HL/Brushed),Ti-gold, Glossy matt,dull and so on.

Application: Decoration, construction and upholstery, etc

Package: Each tube in a plastic bag with size label outside and pack in small bundles or according to customer request

Lead Time: 7-10days for one FCL Or according to order list detail

Payment: A: 100% T/T advance. (For small order.) B: 30% T/T and balance against copy of documents.

C: 30% T/T advance, balance L/C at sight D: 30% T/T , balance L/C usance

E: 100% L/C usance. F: 100% L/C at sight.

Sample: we could offer the sample for free charge but do not pay the cost of freight.

QUALITY CONTROL

Chemical Composition about stainless steel pipe								
904L	≤2.0	≤0.045	≤1.0	≤0.035	-	23.0-28.0	19.0-23.0	4.0-5.0
2205	≤0.03	≤1.0	≤2.0	≤0.030	≤0.02	4.5-6.5	22.0-23.0	3.0-3.5
2507	≤0.03	≤0.80	≤1.2	≤0.035	≤0.02	6.0-8.0	24.0-26.0	3.0-5.0
2520	≤0.08	≤1.5	≤2.0	≤0.045	≤0.03	0.19-0.22	0.24-0.26	-
410	≤0.15	≤1.0	≤1.0	≤0.035	≤0.03	-	11.5-13.5	-
430	≤0.12	≤0.75	≤1.0	≤0.040	≤0.03	≤0.60	16.0-18.0	-

Hydrostatic or Nondestructive Electric Test

1 Each tube shall be subjected to the nondestructive electric test or the hydrostatic test. The type of test to be used shall be at the option of the manufacturer, unless otherwise specified in the purchase order.

2 The hydrostatic test shall be in accordance with Specification A 1016/A 1016M, except that in the calculation of the hydrostatic test pressure 64000(441.2) shall be substituted for 32000(220.6).

production range:

Austenitic Steel:	TP304,TP304L,TP304H,TP304N,TP310S,TP316,TP316L,TP316Ti,TP316H,TP317,TP317L, TP321, TP321H,TP347, TP347H,904L...
Duplex Steel :	S32101,S32205,S31803,S32304,S32750, S32760 Others:TP405,TP409, TP410, TP430, TP439 ...

product show:





ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd

☎ 15858820108

✉ sales@zhehengsteel.com

🌐 stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china