



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com


N08800 / 1.4876 Nickel Alloy Pipe , A240 / B409 Standard Alloy 800h Pipe Weleded

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ABS, DNV, GL, BV, PED 97/23/EC, AD2000-WO, GOST9941-81
- Model Number: 19mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: Incoloy Alloy 800 / N08800 / 1.4876
- Standard: A240 / B409 / A358
- Type: Seamless
- Technique: Cold Drawing
- Trade Terms: FOB NINGBO
- Certificates: PED 97/23/EC
- Highlight: alloy 625 tubing, seamless alloy pipe



Product Description

Alloy 800 / N08800 / 1.4876 / X10NiCrAlTi32-20 incoloy Nickel Alloy Pipe / A240 / B409 / A358

specialized in stainless seamless steel pipes & fittings. There are various kinds of materials: Alloy 800, 800H, 800HT, 600, C276, 601, 625, 825, Alloy 22, Alloy C4ect. Or Customized, we could produce as customers' different requirements and according to the standards such as ASTM A240, B409 / A358, B514, B515, B168 / B516, B517, B575 / B619, B626, B168, ect.

description:

ITEM: Alloy 800 / N08800 / 1.4876 / X10NiCrAlTi32-20 Nickel Alloy Pipe / A240 / B409 / A358

Brand: RONSCO, BAOSTEEL, JISCO, TISCO, etc.

Material: Alloy 800, 800H, 800HT, 600, C276, 601, 625, 825, Alloy 22, Alloy C4ect. Or Customized

Standard: GB, AISI, ASTM, ASME, EN, BS, DIN, JIS

Size: ANSI / ASME size is under, other standard of size is for ready choice, O.D.: 0.23" to 48" (5.8-1219mm) W.T.: 0.04" to 2" (1.0-50.8mm)

Length: Max. 18 Meter, NPS 1/8"-48" Schedule: 5/5S, 10/10S, 20/20S, 40/40S, 80/80S, 120/120S, 160/160S according to ANSI B36.19/36.10

Surface: Satin Finish (180#, 240#, 320#), Bright Finish (400#, 600#, mirror), Mill Finish (2B), Hairline-Finish (HL/Brushed), Ti-gold, Glossy matt, dull and so on.

Application: Decoration, construction and upholstery, etc

Complementary description:

Package:	Each tube in a plastic bag with size label outside and pack in small bundles or according to customer request
Lead Time:	7-10 days for one FCL Or according to order list detail
Payment:	A: 100% T/T advance. (For small order.) B: 30% T/T and balance against copy of documents. C: 30% T/T advance, balance L/C at sight D: 30% T/T , balance L/C usance E: 100% L/C usance. F: 100% L/C at sight.
Sample:	we could offer the sample for free charge but do not pay the cost of freight.

Incoloy 800 Chemical composition:

Grade		Ni	Cr	Fe	C	Mn	Si	S	P	Cu	Al	Ti
	%											
800	Min	30	19	Bal							0.15	0.15
	Max	35	23		0.1	1.5	1	0.015	0.03	0.75	0.6	0.6

Incoloy 800 Physical properties:


Alloy state	Tensile strength	Yield strength	Elongation
	Rm N/mm ²	R P0. 2N/mm ²	A 5 %
800	520	205	30

Heat Treatment Assurance

A full-automatic natural gas furnace with 24 meters in length. The real temperature tolerance could be within 10°C.

1. The Organic chemical process parts contains chloride, especially in the use of acid chloride catalyst.
2. The digester and bleacher in the use of paper pulp and paper making industry.
3. Absorption tower, re-heater, gas import board, fan, blender, fair water fin, flue and so on for using in flue gas desulfurization system.
4. The equipment and parts in the use of acidic gas environments.
5. Acetic acid and anhydride reaction generator
6. Sulfur acid cooling

Product show:



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china