



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com


TP317L Stainless Steel Seamless Pipe , Food Grade Hardened Steel Tube ASTM

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 4"*sch40s
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Certificates: ABS, DNV, GL, BV, PED 97/23/EC
- Standard: ASTM, AISI, DIN, EN, GB, JIS
- Type: Seamless
- Technique: Cold Roll
- Name: TP317L Seamless Stainless Steel Pipe
- Material: TP317L / 1.4438 / X2CRNIMO18-15-4
- Highlight: 304 stainless steel seamless tubing, ss seamless pipe



Product Description

TP317L / 1.4438 / X2CRNIMO18-15-4 Cold Roll Stainless Steel Seamless Pipe Chemical Properties

We supply 317L / 022Cr19Ni13 Mo3 / 1.4438 / 347 / 06Cr18Ni11Nb / 1.4550 / 347H / 07Cr18Ni11Nb 348 / 348H / 904L / 06Cr25Ni20 / 310S We are Stockist and Stockholder of Stainless Steel 317L SMLS Pipe, AISI 317L Stainless Steel Pipe, ASTM A312 TP317L U Shape Stainless steel Pipe. We offers quality 317L SS Pipe are available in various grades and specifications. We offer Updated price list of 317L Stainless Steel Seamless Pipe in Vietnam, South Africa, Kazakhstan, Saudi Arabia, Kakinada, India. These 317L SS SMLS Pipe are made from the finest quality stainless steel and are available in different dimensions, thickness, grades and hardness. Our ranges of Stainless Steel Pipe are widely appreciated for their optimum.

package and application:

1. Package	Various packages depends on wall thickness & Length (See below picture)
	a) Hexagonal bundles
	b) Iron boxes
	c) Good quality plywood boxes
	d) Good quality wooden boxes
	e) Customized package
2. Application:	High-pressure steam boiler, Heat exchanger, liquid-transportation, Condensator, electric power, auto parts and chemical industry. Power plant.

TP317L / 1.4438 / X2CRNIMO18-15-4 seamless pipe description:

Material:	TP317L / 1.4438 / X2CRNIMO18-15-4 Cold Roll Stainless Steel Seamless Pipe Chemical Properties
Standard:	GB, AISI, ASTM, ASME, EN, BS, DIN, JIS
Size:	ANSI /ASME size is under,other standard of size is for ready choice,O.D.:0.23"to 48"(5.8-1219mm)W.T.:0.04"to 2"(1.0-50.8mm)
Length:	Max.18 Meter,NPS 1/8"-48" Schedule:5/5S,10/10S,20/20S,40/40S,80/80S,120/120S,160/160S according to ANSI B36.19/36.10
Surface:	Satin Finish(180#.240#.320#),Bright Finish(400#.600#,mirror),Mill Finish(2B),Hairline-Finish(HL/Brushed),Ti-gold, Glossy matt,dull and so on.

US,CN,EU 317L / 022Cr19Ni13 Mo3 / 1.4438 / 347 / 06Cr18Ni11Nb / 1.4550 / 347H / 07Cr18Ni11Nb 348 / 348H / 904L / 06Cr25Ni20 / 310S

317 stainless steel seamless pipe chemical composition: C ≤ 0.08, Si ≤ 1.00, Mn ≤ 2.00, P ≤ 0.035, S ≤ 0.030, Ni = 11 ~ 15, Cr = 18.00 ~ 20.00, Mo = 3 ~ 4

A high-alloy steel that resists corrosion in air or chemically corrosive media. Stainless steel has an aesthetically pleasing surface and good corrosion resistance. It does not require surface treatment such as plating to give full surface properties to stainless steel. One of the aspects of steel, commonly referred to as stainless steel. Representative properties include high-alloy steels such as 13 chrome steel and 18-8 chrome nickel steel.

Materials and Manufacture

1 Manufacture and Condition—Tubes shall be made by the seamless process and shall be either hot finished or cold finished, as specified. Grade TP347HFG shall be cold finished.

2 Heat Treatment:

2.1 Ferritic Alloy and Ferritic Stainless Steels—The ferritic alloy and ferritic stainless steels shall be reheated for heat treatment in accordance with the requirements of Table 3. Heat treatment shall be carried out separately and in addition to heating for hot forming.

2.2 Austenitic Stainless Steels—All austenitic tubes shall be furnished in the heat-treated condition, and shall be heat treated in accordance with the requirements of Table 3. Alternatively, immediately after hot forming, while the temperature of the tubes is not less than the minimum solution treatment temperature, tubes may be individually quenched in water or rapidly cooled by other means (direct quenched).

3 If any controlled structural characteristics are required, these shall be so specified in the order as to be a guide as to the most suitable heat treatment

product show:



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd

☎ 15858820108

✉ sales@zhehengsteel.com

🌐 stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china