

# Cold Rolling Stainless Steel Pipe Welding For Upholstery Nondestructive Schedule80

# **Basic Information**

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 3"\*sch10s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 100TONS/30DAYS



# **Product Specification**

Material: Sanitary Stainless Steel Pipe

• Standard: A270

• Type: Seamless Or Welded

Technique: Cold RollingFinish: PolishApplication: Upholstery

 Highlight: food grade stainless tubing, stainless steel dairy pipe



# **Product Description**

#### A270 Sanitary Stainless Steel Pipe Seamless and Welded Austenitic Stainless Steel Sanitary Pipe

we supply A270 standard Standard Specification for Seamless and Welded Austenitic Stainless Steel Sanitary Tubing Material furnished under this specification shall con-

form to the applicable requirements of the current edition of Specification A 450/A 450M, unless otherwise provided herein.

Our inventory is computerized so our employees can respond quickly to all your requests. If a specific product is not in stock when you request it, we guarantee same day shipping or shortest lead time available.

Our regular feture products are 304/304L,316L, 321,310s,austentic serious ,duplex steel 2205 ,hastelloy c276,inconel 625 ,and super stainless steel 904L , All of our products meet or exceed AISI/ASTM A213 ,A269,A312,EN 10216,GHOST 9941 ,GB,JIS standard. per your specific requirements and include full documentation.

Size:ANSI /ASME size is under,other standard of size is for ready choice

O.D.:0.23"to 48"(5.8-1219mm)

W.T.:0.04"to 2"(1.0-50.8mm)

Length:Max.18 Meter

NPS 1/8"-48" Schedule:5/5S,10/10S,20/20S,40/40S,80/80S,120/120S,160/160S according to ANSI B36.19/36.10

Stainless Steel Pipe Surface finish: Annealed, Polished

Process Method: Cold Drawn/Cold Rolled

Delivery Condition: Annealed & Pickled

#### product description:


<u>'</u>		
1.100% PMI,Spectro Chemical Aanlysis Test for Raw Material		
2.100% Dimension & Visual Examination		
3. Mechanical Properties Test Include Tension Test, Flaring Test (For Seamless tube/pipe)/ Flange		
Test (For Welded Pipe & Tube), Hardness Test ,Reversed Flattening Test		
4.100% Hydrostatic Test or 100% NON-DESTRUCTIVE Test (ET or UT)		
5.Radiographic Test for Welded Pipe (shall be accordance with specification,or shall be as agreed		
upon between the purchaser and vendor)		
6.Straightness Test (optional)		
7.Roughness Test (optional)		
8.Intergranular Corrosion Test(optional)		
9.Impact Test (optional)		
10.Grain Size Determinations (optional)		
NOTES : ALL THE TESTS AND INSPECTION RESULT NEED TO BE SHOWED IN REPORTS		
ACCORDING TO STANDARD AND SPECIFICATION.		

Production Range:	
Austenitic Steel:	TP304,TP304L,TP304H,TP304N, TP310S,TP316,TP316L,TP316Ti,TP316H,
	TP317,TP317L, TP321, TP321H,TP347, TP347H,904L
Duplex Steel :	S32101,S32205,S31803,S32304,S32750, S32760
	Others:TP405,TP409, TP410, TP430, TP439
Russia Standard	08X17T,08X13,12X13,12X17,15X25T,04X18H10,08X20H14C2, 08X18H12Б, 10X17H13M2T,10X23H18,08X18H10,08X18H10T, 08X18H12T,08X17H15M3T, 12X18H10T,12X18H12T,12X18H9, 17X18H9, 08X22H6T,
European Standard	1.4301,1.4307,1.4948,1.4541,1.4878,1.4550,1.4401,1.4404,1.4571, 1.4438,1.4841,1.4845,1.4539,1.4162, 1.4462, 1.4362, 1.4410, 1.4501

#### **Hydrostatic or Nondestructive Electric Test**

Each tube shall be subjected to the nondestructive electric test or the hydrostatic test. The type of test to be used shall be at the option of the manufacturer, unless otherwise specified in the purchase order.

### product show:





# Wenzhou Zheheng Steel Industry Co.,Ltd







stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china