

ASME SA269 Stainless Steel Seamless Pipe , S31603 Bright Annealed Ss 316l Pipe

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 8"*sch10s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 50TONS/30DAYS



Product Specification

• Material: 316L/S31603

• Standard: ASTM A269/ASME SA269

Type: Seamless
Technique: Cold Drawing
OD: 4inch
WT: Sch10s

• Highlight: 304 stainless steel seamless tubing,

seamless pipes and tubes



Product Description

ASTM A269/ASME SA269 Stainless steel 316L/S31603 seamless bright annealed tubing stainless steel seamless pipe

zheheng steel is one of exporter ,manufacturer ,supplier of 316 stainless steel pipes,316 seamless stainless steel pipes,ASTM a269 stainless steel pipe,s31603 stainless steel pipe,316l seamlss stainless steel pipe,ss asme stainless steel pipe,We can also supply stainless steel capillary tubes, which are widely used.Petrol, Oil and Nature gas, Chemical Industry,Boiler,Heat Exchange Architecture,Machine Equipment,City Decoration,Bridge, Food and Medical Industry,Electric Components,Shipping Manufacture,etc

Standard export package with metal strip, loaded into container with wooden, or as required.

The seamless steal pipes

features resistance to high presure, high/low temperature and corrosion ano is used in

the industries of petroleum, chemical

engineering and. Electric pwer as well as boiler

2.Description for 316L/S31603 seamless bright annealed tubing:

≥205

>185

≥205

Item:	Stainless steel tube/tubes/tubing Stainless steel pipe/pipes					
Material:	Stainless steel					
	201 (1Cr17Mn6Ni5N)					
	202(1Cr18Mn8Ni5N)					
	304(0Cr18Ni9)					
	304L(00Cr18Ni10)					
Grade:	306(0Cr17Ni12Mo2)					
	316L(0Cr17Ni14Mo2)					
	321, 409, 409L, 430					
standards:	ASTM, ASME,EN, JIS, DIN,GB/T etc					
	Outer Diameter:1mm-10mm; 10mm-250mm					
Size:	Wall Thickness: 0.01mm-4mm; 1mm-20mm					
Size.	Length: 10mm -6000mm					
Surface treatment	Polishing, Mirro surface, Bright, Pickling					
Type:	Welded, ERW, seamless					
Type.						

3.1Chemical Composition:

Grade		С	Si	Mn	Р	S	Ni	Cr	Мо	N	
316(0Cr17	Ni12Mo2)	≤0.08	≤0.07	≤2.0	≤0.04	≤0.03	11.0-14.0	16.0-18.0	2.0-3.0	\vdash	2.0 Machanical Dranarty
316L(0Cr1	7Ni14Mo2)	≤0.03	≤0.07	≤2.0	≤0.04	≤0.03	11.0-14.0	16.0-18.0	2.0-3.0	—	3.2 Mechanical Property:
309s		≤0.08	≤1.00	≤2.0	≤0.045	≤0.03	12.00-15.00	22.00-24.00			1
310s		≤0.08	≤1.50	≤2.0	≤0.045	≤0.03	19.00-22.00	24.00-26.00			1
3171		≤0.03	≤1.00	≤2.0	≤0.045	≤0.03	11.0-15.0	18.0-20.0	3.0-4.0		1
321		≤0.08	≤1.0	≤2.0	≤0.04	≤0.03	9.0-12.0	17.0-19.0		Ti≥5xC	1
409		≤0.08	≤1.0	≤1.0	≤0.04	≤0.03	≤0.5	10.5-11.7		Ti6xC%≤0.7 0	
409L		≤0.03	≤1.0	≤1.0	≤0.04	≤0.03	0.5	10.5-11.7		Ti8xC%≤0.7 0	7
430		≤0.12	≤1.0	≤1.0	≤0.04	≤0.03		16.0-18.0			1
SS329J4L		≤0.03	≤1.0	≤1.5	≤0.04	≤0.03	5.50-7.50	24.00-26.00	2.50-3.50		1
ASTM	Tensile Strength	(Мра)	Yield	Strength	(Mpa)	Elo	gation (%)	Hardness	(HRB)		-
316 ≥515		≥205	≥205)	≤95	≤95			
316L	≥485		≥170)		≥40)	≤95			
317L	≥480		≥175)		≥40)	≤200		7	

4.0 Application:

>380

>350

≥450

409

4091

430

	Architectural/Civil Engineer	Handrails, door and window fittings, steel furniture, structural sections etc				
	Transport	Exhaust systems, car trim, road tankers, ship containers, ships chemical tankers etc				
Application	Chemical/Pharmaceutical	Pressure vessels, process piping etc				
	Oil & Gas	Platform accomodation, cable trys, subsea pipelines etc				

≥20

>22

>22

Our Services

You can select different sizes stainless steel products with high quality from a reliable manufacturer with reasonable price. We can supply stainless tube/pipe, stainless steel sheet&plate, stainless steel bar, stainless steel wire, stainless steel coil etc.

<80

<80

≤80

product show:





Wenzhou Zheheng Steel Industry Co.,Ltd

15858820108



No999 .wenzhou airport wenzhou city,zhejiang china