ASME SA269 Stainless Steel Seamless Pipe , S31603 Bright Annealed Ss 316l Pipe

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 8"*sch10s
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material,or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS

Product Specification

- Material: 316L/S31603
- Standard: ASTM A269/ASME SA269
- Type: Seamless
- Technique: Cold Drawing
- OD: 4inch
- WT: Sch10s
- Highlight: **304 stainless steel seamless tubing**, **seamless pipes and tubes**

for more products please visit us on stainless-steelseamlesspipe.com

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Product Description

ASTM A269/ASME SA269 Stainless steel 316L/S31603 seamless bright annealed tubing stainless steel seamless pipe

zheheng steel is one of exporter ,manufacturer ,supplier of 316 stainless steel pipes,316 seamless stainless steel pipes,ASTM a269 stainless steel pipe,s31603 stainless steel pipe,316l seamlss stainless steel pipe,ss asme stainless steel pipe,We can also supply stainless steel capillary tubes, which are widely used.Petrol, Oil and Nature gas, Chemical Industry,Boiler,Heat Exchange Architecture,Machine Equipment,City Decoration,Bridge, Food and Medical Industry,Electric Components,Shipping Manufacture,etc
Standard export package with metal strip, loaded into container with wooden, or as required.
The seamless steal pipes
features resistance to high presure,high/low temperature and corrosion ano is used in
the industries of petroleum,chemical
engineering and. Electric pwer as well as boiler

2.Description for 316L/S31603 seamless bright annealed tubing ：

Item:	Stainless steel tube/tubes/tubing Stainless steel pipe/pipes
Material:	Stainless steel
Grade:	201 (1Cr17Mn6Ni5N) 202(1Cr18Mn8Ni5N) 304(0Cr18Ni9) 304L(00Cr18Ni10) 306(0Cr17Ni12Mo2) 316L(0Cr17Ni14Mo2) 321, 409, 409L, 430
standards:	ASTM, ASME,EN, JIS, DIN,GB/T etc
Size:	Outer Diameter:1mm-10mm; 10mm-250mm Wall Thickness: 0.01mm-4mm; 1mm-20mm Length: 10mm -6000mm
Surface treatment	Polishing, Mirro surface, Bright, Pickling
Type:	Welded, ERW, seamless

3.1Chemical Composition:

Grade	C	Si	Mn	P	S	Ni	Cr	Mo	N
316(0Cr17Ni12Mo2)	≤0.08	≤0.07	≤2.0	≤0.04	≤0.03	11.0-14.0	16.0-18.0	2.0-3.0	—
316L(0Cr17Ni14Mo2)	≤0.03	≤0.07	≤2.0	≤0.04	≤0.03	11.0-14.0	16.0-18.0	2.0-3.0	—
309s	≤0.08	≤1.00	≤2.0	≤0.045	≤0.03	12.00-15.00	22.00-24.00		
310s	≤0.08	≤1.50	≤2.0	≤0.045	≤0.03	19.00-22.00	24.00-26.00		
317l	≤0.03	≤1.00	≤2.0	≤0.045	≤0.03	11.0-15.0	18.0-20.0	3.0-4.0	
321	≤0.08	≤1.0	≤2.0	≤0.04	≤0.03	9.0-12.0	17.0-19.0		Ti≥5xC
409	≤0.08	≤1.0	≤1.0	≤0.04	≤0.03	≤0.5	10.5-11.7		Ti6xC%≤0.70
409L	≤0.03	≤1.0	≤1.0	≤0.04	≤0.03	0.5	10.5-11.7		Ti8xC%≤0.70
430	≤0.12	≤1.0	≤1.0	≤0.04	≤0.03		16.0-18.0		
SS329J4L	≤0.03	≤1.0	≤1.5	≤0.04	≤0.03	5.50-7.50	24.00-26.00	2.50-3.50	

3.2 Mechanical Property:

ASTM	Tensile Strength (Mpa)	Yield Strength (Mpa)	Elogation (%)	Hardness (HRB)
316	≥515	≥205	≥40	≤95
316L	≥485	≥170	≥40	≤95
317L	≥480	≥175	≥40	≤200
321	≥515	≥205	≥40	≤95
409	≥380	≥205	≥20	≤80
409L	≥350	≥185	≥22	≤80
430	≥450	≥205	≥22	≤80
SS329J4L	≥620	≥450	≥18	≤320

4.0 Application:

Application	Architectural/Civil Engineer	Handrails, door and window fittings, steel furniture, structural sections etc
	Transport	Exhaust systems, car trim, road tankers, ship containers, ships chemical tankers etc
	Chemical/Pharmaceutical	Pressure vessels, process piping etc
	Oil & Gas	Platform accomodation, cable trys, subsea pipelines etc

Our Services

You can select different sizes stainless steel products with high quality from a reliable manufacturer with reasonable price. We can supply stainless tube/pipe, stainless steel sheet&plate, stainless steel bar, stainless steel wire, stainless steel coil etc.

product show :

ZHEHENG STEEL **Wenzhou Zheheng Steel Industry Co.,Ltd**

15858820108 sales@zhehengsteel.com stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china