

Polished Welding Thin Stainless Steel Tube Marine Grade EN10312 TP316 / 316L

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 8"*sch10s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 100TONS/30DAYS



Product Specification

Material: TP316/316L
Standard: EN10312
Type: Welded
Technique: ERW

Outer Diameter: 13.5mm-610mm
 Application: Sewage Engineering
 Highlight: welding stainless tubing, welding thin stainless steel tube



Product Description

EN10312 TP316/ 316L stainless steel water tube with thin wall stainless steel welded tube

zheheng steel as one of the leading manufacturer in TP316L stainless steel welded pipe industry,we can supply to you EN10312 standard welded stainless steel pipe, thin wall welded stainless steel pipe, large diameter erw welding stainless steel pipe, small size welded stainless steel tubing, zheheng steel as also one of leading suppier for welded stainless steel pipes, ERW welding and EFW stainless steel pipe are our competitive products.

We have the most advanced producing and testing equipment, also have the biggest production scale.

Mtsco use the advanced ERW and EFW technology from Japan and Korean, making the close dimension controls and the tolerance can be controlled +/-2°C;

Application:

- a) For fluid and gas transport
- b) Structure and machining
- c) Heat exchanger pipes etc

Products will be done PMI, NDT tests before they have been sent to our clients.

We have PED, ISO certificates. PED, ISO9001

Advantages :

- a) Superior surface finish
- b) Better mechanical property
- c) More precise dimension
- d) Perfect inspection method and inspection equipment

Produt details :

ltem	Description	
Basic Information	Material Grade	TP304, TP304L, TP304H, TP316, TP316L, TP316Ti, TP309S, TP310S, TP321, TP321H, TP347, TP347H, etc
	Outer Diameter	9.5mm-323.85mm
	Wall Thickness	0.8mm-5mm
	Length	Normally fixed length 6m, can as per customer's requirement
	Standard	ASTM A312; ASTM A269; ASTM A789; ASTM A790 ect.
	Process Method	ERW, EFW etc
Industry & Advantage	Application	a) For fluid and gas transport
		b) Structure and machining
		c) Heat exchanger pipes etc
	Advantages	a) Superior surface finish
		b) Better mechanical property
		c) More precise dimension
		d) Perfect inspection method and inspection equipment
Terms & Conditions	Price Item	FOB, CFR, CIF or as negotiation
	Payment	T/T, LC or as negotiation
	Delivery Time	30 working days after received your deposit (Normally according to the order quantity)
	Package	Iron case; woven bag or as per customer's requirement
	Quality	Mill Test Certificate will be supplied with shipment, Third Part
	Requirement	Inspection is acceptable
Quality	Test	X-ray, Size test, Length test
		Chemical Analysis(Photoelectric Emission Spectroscopic) etc
Market	Main Market	Europe, Middle East, Southeast Asia, South America. Etc

Zheheng steel Chemical assurance

- 1. Each lot of raw materials will be tested by spectrometer before put in storage.
- 2. 100%PMI the mother pipe to ensure we put right material.
- 2. 100%PMI the finished pipe again to ensure we produced right grade

Heat Treatment Assurance

A full-automatic natural gas furnace with 24 meters in length. The real temperature tolerance could be within 10°C. ZHEHENG STEEL has passed approved by ABS, DNV, GL, BV, PED 97/23/EC, AD2000-WO, GOST9941-81, CCS, TS, CNNC, ISO9001-2008, ISO 14001-2004 With good quality and competitive price, we warm a good reputation in domestic and international markets. We hope to build a good and long relationship with customers from home and abroad.





Wenzhou Zheheng Steel Industry Co.,Ltd







stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china