



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



S31500 2205 Duplex Stainless Steel Pipe With Adjustable Length A789 / 790

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com


Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 19-219mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: S31500, 3RE60, 00Cr18Ni5Mo3Si2
- Standard: A789 / 790
- Type: Seamless
- Technique: Cold Drawing
- Surface: Bright
- Name: S31500 Duplex Steel Pipe
- Highlight: welding 2205 duplex stainless steel, super duplex stainless steel pipe



Product Description

A789 /790 S31500,3RE60,00Cr18Ni5Mo3Si2,S31803,2205,00Cr22Ni5Mo3N,duplex steel seamless pipe / dual phase tube

zheheng steel as one of ASTM a789 a790 duplex steel pipe manufacturer, S31500 stainless steel seamless pipe exporter, 00Cr18Ni5Mo3Si2 duplex steel pipe stockholder, ss cold draw duplex steel pipe supplier more than 15 years experience in production ,our S31500,3RE60,s31803,2205,00Cr22Ni5Mo3N duplex steel seamless pipe are applicate in Decora tion construction, upholstery, industry instrument

2.Material range:

S31500,S31803,S32900,S31260,S32750,S32550,W-Nr 1.4462,W-Nr 1.4417,W-Nr 1.4507,W-Nr 1.4501,W-Nr 1.4362,W-Nr 1.4410,W-Nr 1.4460, 2205, 2507, 2304,etc.

Referenced Documents

ASTM Standards:

A 480/A 480M Specification for General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate,Sheet, and Strip

A 1016/A 1016M Specification for General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes E 527 Practice for Numbering Metals and Alloys (UNS)

2.2 SAE Standard:

duplex steel pipe details description:

3. Specifications	Wall thickness	1.0-150mm(SCH10S-XXS)
	Outside diameter	3.0-2500mm(1/8"-100")
	Length	6m,5.8m,8m,11.8m,12m or as required.
4. Surface	Pickling, annealing, polishing, bright, sand blast, hair line, etc.	
5. Price Term	Ex-work, FOB, CFR, CIF, or as required.	
6. Payment Term	T/T, L/C, Western Union.	
7. MOQ	500kg	
8. Delivery Time	Prompt delivery or according to order's quantity.	
9. Package	Export standard package: bundled wooden box, suit for all kinds of transport, or be required.	

duplex steel pipe chemical composition:

Duplex Steel pipe chemical composition											
Steel Grade	C≤	Mn≤	Si≤	S≤	P≤	Cr	Ni	Mo	Cu≤	N	
										0.24/ 0.32	
S31803(2205) 00Cr22Ni5Mo3N	0.03	2.00	1.0	0.02	0.030	21.0/ 23.0	4.50/ 6.50	2.50/ 3.50		0.08/ 0.20	
										0.05/ 0.10	
Steel Grade	Heat Treatment°C		Ab(MPa)≥		As(MPa)≥		EL≥		HB		HRC
S31803(2205) 00Cr22Ni5Mo3N	1020-1100		620		450		25		290		30.5

Heat Treatment Assurance

A full-automatic natural gas furnace with 24 meters in length.The real temperature tolerance could be within 10°C.

Ordering Information

1 Orders for product under this specification should include the following, as required, to describe the desired material adequately:

- 1.1 Quantity (feet, metres, or number of lengths),
- 1.2 Name of product (seamless or welded tubes),
- 1.3 Grade (see Table 1),
- 1.4 Size (outside diameter and nominal wall thickness),
- 1.5 Length (specific or random),
- 1.6 Optional requirements (for product analysis, see Section 8; for hydrostatic or nondestructive electric test, see Section 10),
- 1.7 Test report required (see the Inspection section of Specification A 1016/A 1016M),
- 1.8 Specification designation, and
- 1.9 Special requirements.

Product show:



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china