

Cold Drawn Stainless Steel Round Pipe Annealed With Nitrogen Protection Hardened

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 8"*sch80s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 100TONS/30DAYS



Product Specification

Material: TP316/ 316L

Standard: ASTM A312; ASTM A269

Type: WeldedTechnique: ERW

• Outer Diameter: 13.5mm-610mm

Application: Fluid And Gas Transport
 Highlight: welding stainless tubing, welding thin stainless steel tube



Product Description

ASTM (201/304/304L/316L/310S/321) Stainless Steel ERW Welded Pipe/Tube with Bright Mirror Polished Finish

201/304/304L/316L/310S/321stainless steel pipe manufacturer, ASTM (201/304/304L/316L/310S/321) stainless steel welded pipe exporter, ASTM A 249ERW Welded Pipe/ stainless steel pipe stockholder ,Bright Mirror ERW stainless steel pipe supplier in china We specialize in ASTM (201/304/304L/316L/310S/321) Stainless Steel ERW Welded Pipe/Tube with Bright Mirror Polished Finish stainless steel pipe/pipes, welded stainless steel pipe/pipes/piping and seamless stainless pipe/pipes/piping. Stainless steel welded pipe:

Standard

ASTM A312, ASTM A554, ASTM A790, EN10216-5, EN10217-7, JIS G3468, JIS G3459

Material

304, 316L, 321, 310S, 1.4301, 1.4307, 1.4404, S31803, S32750, 904L, Monel 400, Inconel 800

Surface

Pickling, 400grit polishing, 600grit polishing, mirror finish

Certificate

BV, LR, GL, NK, RMRS

Packing

In bundles with waterproof material, in wooden cases

Shipment

By sea, by air, by express

Advantages :

- a) Superior surface finish
- b) Better mechanical property
- c) More precise dimension
- d) Perfect inspection method and inspection equipment

Produt details :

Description	ASTM (201/304/304L/316L/310S/321) Stainless Steel ERW Welded Pipe/Tube with Bright Mirror Polished Finish
Material	201 202 304 316L 310S 309S 321 316Ti 410 420 430 409 duple,2205,S31803 etc.
Thickness	0.25-10mm
Length	3-6m or as customized
Outer Diameter	6-508mm
Size (round pipe)	9.5, 12.7, 15.9, 17, 18, 19.1, 20, 21, 22.2, 23, 25.4, 28, 318, 35,50.8,63.5, 73, 76.2, 88.9, 101.6, 114.3, 127, 133, 159, 168, 219 mm or as customized
Size (squarepipe)	10×10,12×12,18×18,23×23,38×38,50×50,70×70,100×100,20×10,23×10,24×12,25×13,36×
Size (oval pipe)	30×15,80×40 mm or as customized
Process Method	Polished, cold drawn, annealed with nitrogen protection, ultrasonic,automatic shape etc
Finishing	A: sanded B: 400#-600# mirror C: hairline brushed D: TIN titanlum E : HL brushed & mirror (two kinds of finishing for one pipe)

Chemical Composition:

Grade	Chemical Composition (%)									
	С	Si	Mn	Р	S	Ni	Cr	Мо		
201	≤0.15	≤1.00	5.5/7.5	≤0.060	≤0.030	3.5/5.5	16.0/18.0	-		
304	≤0.08	≤1.00	≤2.00	≤0.045	≤0.03	8.0/11.0	18.00/20.0 0	-		
316	≤0.08	≤1.00	≤2.00	≤0.045	≤0.03	10.00/14.0	16.0/18.0	2.00/3.00		
316L	≤0.03	≤1.00	≤2.00	≤0.045	≤0.03	10.00/14.0	16.0/18.0	2.00/3.00		

ZHEHENG STEEL has passed approved by ABS, DNV, GL, BV, PED 97/23/EC, AD2000-WO, GOST9941-81, CCS, TS, CNNC, ISO9001-2008, ISO 14001-2004 With good quality and competitive price, we warm a good reputation in domestic and international markets. We hope to build a good and long relationship with customers from home and abroad.





Wenzhou Zheheng Steel Industry Co.,Ltd







stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china