

Brushed 316I Stainless Steel Tubing Seamless For Auto Parts / Decoration

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 8"*sch80s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 100TONS/30DAYS



Product Specification

Material: S32100 / 1.4541
Standard: ASTM A249
Type: Welded
Technique: ERW

Outer Diameter: 13.5mm-610mmApplication: Auto Parts, Decoration

 Highlight: welding thin stainless steel tube, stainless steel welded tubes



Product Description

ASTM A249 S32100 / 1.4541 / x6crniti18-10 stainless steel 321 welded pipe for condenser

S32100 / 1.4541 / x6crniti18-10 stainless steel pipe manufacturer, S32100 / 1.4541 / x6crniti18-10 stainless steel welded pipe exporter, ASTM A249 S32100 ERW Welded Pipe/ High Quality Duplex stainless steel pipe stockholder ,x6crniti18-10 stainless steel 321 welded pipe for condenser tube for medical device supplier in china

zheheng steel is one of

High Quality ASTM A249 S32100 / 1.4541 / x6crniti18-10 stainless steel 321 welded pipe

/ supplier in China, offering ASTM S32100 / 1.4541 / x6crniti18-10 Stainless Steel ERW Welded Pipe/Tube with Bright Mirror Polished Finish,

Stainless steel welded pipe:

1.Standard:ASTM A249

2.Raw Material Grade:S32100 / 1.4541 / x6crniti18-10

Brand:TISCO,POSCO,BAOSTEEL,LISCO,XINAN AND TSINGSHAN

3.Outside Diameter: 1mm-600mm

4.Thickness:0.3mm-150mm

5.Products:Round Pipe,Square Pipe,Rectangular Pipe,Oval pipe,Slotted Pipe

6.Appications:Auto Parts, Decoration, Heat Exchanger, Sanitary etc.

produt details :

| product dotains : | | | | | | |
|-------------------|---|--|--|--|--|--|
| (irade | ASTM A249 S32100 / 1.4541 / x6crniti18-10 stainless steel 321 welded pipe for condenser | | | | | |
| Standard | ASTM A270; ASTM A269; ASTM A312;ASTM A249,etc. | | | | | |
| | OD:9.5-406.4mm | | | | | |
| Size | WT: 0.8-8mm | | | | | |
| | Length: 1m to 12m or as per customers' requirement | | | | | |
| Advantage | Superior surface finish ,better mechanical property; more precise dimension; perfect inspection method and inspection equipment | | | | | |
| appliction | Auto Parts, Decoration | | | | | |

Chemical Composition:

| Grade | Chemical Composition (%) | | | | | | | | | |
|-------|--------------------------|-------|---------|--------|--------|------------|-----------------|-----------|--|--|
| | С | Si | Mn | Р | S | Ni | Cr | Мо | | |
| 201 | ≤0.15 | ≤1.00 | 5.5/7.5 | ≤0.060 | ≤0.030 | 3.5/5.5 | 16.0/18.0 | - | | |
| 304 | ≤0.08 | ≤1.00 | ≤2.00 | ≤0.045 | ≤0.03 | 8.0/11.0 | 18.00/20.0 0 | - | | |
| 316 | ≤0.08 | ≤1.00 | ≤2.00 | ≤0.045 | ≤0.03 | 10.00/14.0 | 16.0/18.0 | 2.00/3.00 | | |
| 316L | ≤0.03 | ≤1.00 | ≤2.00 | ≤0.045 | ≤0.03 | 10.00/14.0 | 16.0/18.0 | 2.00/3.00 | | |
| 410 | ≤0.15 | ≤1.00 | ≤1.25 | ≤0.060 | ≤0.030 | ≤0.060 | 11.5/13.5 | - | | |
| 430 | ≤0.12 | ≤1.00 | ≤1.25 | ≤0.040 | ≤0.03 | - | 16.00/18.0 0 | - | | |

ZHEHENG STEEL has passed approved by ABS, DNV, GL, BV, PED 97/23/EC, AD2000-WO, GOST9941-81, CCS, TS, CNNC, ISO9001-2008, ISO 14001-2004 With good quality and competitive price, we warm a good reputation in domestic and international markets. We hope to build a good and long relationship with customers from home and abroad.





Wenzhou Zheheng Steel Industry Co.,Ltd

15858820108

sales@zhehengsteel.com



e stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china