



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd  
stainless-steelseamlesspipe.com



## Food Grade Sanitary Stainless Steel Pipe , 304 316L Stainless Steel Dairy Pipe 2 / 3mm

Our Product Introduction

for more products please visit us on [stainless-steelseamlesspipe.com](http://stainless-steelseamlesspipe.com)


### Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 3"\*sch10s
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 100TONS/30DAYS



### Product Specification

- Material: 304 316 316L
- Standard: ASTM, A269/270
- Type: Seamless
- Technique: Cold Rolling
- Finish: Bright Anneal And Polish
- Origin: Zhejiang China
- Highlight: sanitary stainless steel tube ,  
food grade stainless tubing



## Product Description

### Food Grade/Sanitary Pipe 304 316 316L Stainless Steel Seamless Tube

food grade stainless steel pipe manufacturer,ss 304 stainless steel pipe exporter,  
316 316L sanitary stainless steel pipe stockholder ,A270 316 316L Sanitary Polising Seamless stainless pipe supplier in china

#### products details:

|                |                                                                                                                                                                                                                                   |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Out Diameter   | 6-323.8mm                                                                                                                                                                                                                         |
| Wall Thickness | 1.0mm.1.2mm 1.5mm.1.65mm.2.0mm.2.1m3.0mm and so on                                                                                                                                                                                |
| Length         | 6m, or as customers demand                                                                                                                                                                                                        |
| Steel Grade    | 301 (Ni : 6%), 304, TP304, TP304L/304L, 321, TP321, 316, TP316L, 316L,                                                                                                                                                            |
| Standards      | ASTM A249, A269, A312, A554, A270                                                                                                                                                                                                 |
| Specification  | O.D: 1/4" - 12" (inch)<br>W.T: SCH5S, SCH10S<br>Or non-regular size to be tailored as required.                                                                                                                                   |
| Application    | Liquid delivery,for food,dairy, and so on                                                                                                                                                                                         |
| Packing        | 1.with plastic cap to protect both ends<br>2.plastic bag wrapped outside the pipe<br>3.Plywood case packing<br>Annealed & Pickled (for sanitary or industial pipe)<br>Bright Annealed<br>Polished to 180#, 240#, 320#, 400#, 600# |
| Certificate    | ISO 9001:2008 for Food Grade/Sanitary Pipe 304 316 316L Stainless Steel Seamless Tube                                                                                                                                             |
| Delivery time  | 30-60 days depend on Quantity                                                                                                                                                                                                     |
| Payment Term   | T/T, Irrevocable L/C at sight                                                                                                                                                                                                     |
| Trade Term     | FOB , CFR , CIF                                                                                                                                                                                                                   |

#### More Precision Dimension

Advanced cold drawn technology from Japan and Korean,Making the close dimension controls.

| Size   | OD Inches | ID Inches |        |        |        |         |
|--------|-----------|-----------|--------|--------|--------|---------|
|        |           | SCH 5     | SCH 10 | SCH 40 | SCH 80 | SCH 160 |
| 1/2"   | .84"      | 0.71"     | .92"   | .622"  | .546"  | 0.464"  |
| 3/4"   | 1.05"     | .920"     | .884"  | .828"  | .742"  | 0.612"  |
| 1"     | 1.315"    | 1.185"    | 1.097" | 1.049" | .957"  | .815"   |
| 1 1/2" | 1.9"      | 1.77"     | 1.682" | 1.610" | 1.50"  | 1.338"  |
| 2"     | 2.375"    | 2.245"    | 2.157" | 2.067" | 1.939" | 1.687"  |
| 3"     | 3.5"      | 3.334"    | 3.760" | 3.068" | 2.901" | 2.624"  |
| 4"     | 4.5"      | 4.334"    | 4.26"  | 4.026" | 3.726" | 3.438"  |

#### Production Range:

|                   |                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Austenitic Steel: | TP304,TP304L,TP304H,TP304N, TP310S,TP316,TP316L,TP316Ti,TP316H, TP317,TP317L, TP321,                                                                 |
| Duplex Steel :    | S32101,S32205,S31803,S32304,S32750, S32760<br>Others:TP405,TP409,                                                                                    |
| Russia Standard   | 08X17T,08X13,12X13,12X17,15X25T,04X18H10,08X20H14C2, 08X18H12B, 10X17H13M2T,10X23H18,08X18H10,08X18H10T, 08X18H12T,08X17H15M3T, 12X18H10T,12X18H12T, |
| European Standard | 1.4301,1.4307,1.4948,1.4541,1.4878,1.4550,1.4401,1.4404,1.4571, 1.4438,1.4841,1.4845,1.4539,1.4162, 1.4462,                                          |



ZHEHENG STEEL

**Wenzhou Zheheng Steel Industry Co.,Ltd**



15858820108



[sales@zhehengsteel.com](mailto:sales@zhehengsteel.com)



[stainless-steelseamlesspipe.com](http://stainless-steelseamlesspipe.com)

No999 .wenzhou airport wenzhou city,zhejiang china