

# Water Cooled Stainless Steel U Tube , 150KW Evaporator U Tube Heat Exchanger

# **Basic Information**

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 19mm

Minimum Order Quantity: NegotiablePrice: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 50TONS/30DAYS



# **Product Specification**

Material: 304
Standard: ASTM,
Type: Seamless
Technique: Cold Drawing

Product Name: Stainless Steel U Shaped Tube

• Surface: Polished,annealed,

• Highlight: u shaped exhaust pipe, stainless steel u bends



# **Product Description**

#### 304 Stainless steel u shaped water cooled 150KW small capacity evaporator heat exchanger tube

304 U bend tubes manufacturer, stainless steel U shaped tubes exporter, ASTM a213 u bend tubes stockholder ,304 stainless steel heat exchanger tubes for heat exchanger tube supplier in china

it is widely used in light industry,heavy industry,daily necessities and the decoration industry.my company long-term supply 304 Stainless steel u shaped water cooled 150KW small capacity evaporator heat exchanger tube products including:stainless steel sheet, stainless steel coil and stainless steel U shaped tube.evaporator heat exchanger tube

#### Heat exchange tube: four main tube type.

- (1)  $\varnothing$  within 3/8 "thread copper coil, it is mainly used for" U "type tube evaporator.
- (2) Ø within 1/2 "threaded straight copper tube, straight tube is mainly used for dry-type evaporator.
- (3) Ø 1/2 "corrugated straight stainless steel tube, straight tube is mainly used in food industry of dry evaporator.
- (4) Ø 5/8 "inside outside screw wing efficient copper tube, it is mainly used for air precooling industry dry evaporator.

#### Production details description:

Production details description.		
Standard	ASTM A554/EN10296-2	
	38.1 (15x15); 42.4 (24x24); 48.3 (27x30) 50.8 (15x15);50.8(20x20); 63(20x20); 63 (25x25); 76(25x25)	
	32x32 (15x5);38x38(15x15); 40x40(20x20);40x40(15x15);50x50(20x20);50x50(15x15)	
Single slot rectanguler tube	38x25(20x15); 50x25(15x15); 50x25(25x25)	
Thickness	0.6mm-3mm	
Thickness Tolerance	+/-10%	
Length Tolerance	+/-8mm	
Outside Diameter Tolerance	According to ASTM A554 standard	
Application	Handrail system, furniture,display shelf,sanitary wares,machinery equipment, automobile	
iPackading	Each Tube packed by plastic bag individully and then packed by hollow plate and weaving bag.	
	·	

Production Range:	
Austenitic Steel:	TP304,TP304L,TP304H,TP304N,
	TP310S,TP316,TP316L,TP316Ti,TP316H,
	TP317,TP317L, TP321, TP321H,TP347, TP347H,904L
Duplex Steel :	S32101,S32205,S31803,S32304,S32750, S32760
	Others:TP405,TP409, TP410, TP430, TP439
Russia Standard	08X17T,08X13,12X13,12X17,15X25T,04X18H10,08X20H14C2, 08X18H12Б, 10X17H13M2T,10X23H18,08X18H10,08X18H10T, 08X18H12T,08X17H15M3T, 12X18H10T,12X18H12T,12X18H9, 17X18H9, 08X22H6T,
European Standard	1.4301,1.4307,1.4948,1.4541,1.4878,1.4550,1.4401,1.4404,1.4571, 1.4438,1.4841,1.4845,1.4539,1.4162, 1.4462, 1.4362, 1.4410, 1.4501

#### **Heat Treatment Assurance**

A full-automatic natural gas furnace with 24 meters in length. The real temperature tolerance could be within 10°C.

#### Standard Specification:

- 1, A312/A312 M Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes
- 2, A213/A213 MSeamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes
- 3, A269 Seamless and Welded Austenitic Stainless Steel Tubing for General Service
- 4, A270 Seamless and Welded Austenitic Stainless Steel Sanitary Tubing
- 5, A 249/A 249M Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes
- 6, A 358/A 358M Electric-Fusion-Welded Austenitic Chromium-Nickel Alloy Steel Pipe for High-Temperature Service

### Product show:





Wenzhou Zheheng Steel Industry Co.,Ltd







stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china