



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



2507 Cold Rolling Astm Stainless Steel Pipe For Export Standard Package

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com


Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 19-219mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: 2507 UNS S32750
- Standard: A789
- Type: Seamless
- Technique: Cold Rolling
- Surface: Bright Anneling
- Name: Duplex Steel Pipe
- Highlight: **duplex stainless steel tube, super duplex stainless steel pipe**



Product Description

Duplex Stainless Steel pipe and tube Super Duplex 2507 UNS S32750 ASTM A789 Price List for Export standard package

zheheng steel as one of 2507 UNS S32750 seamless duplex steel pipe manufacturer, 2507 UNS S32750 duplex stainless steel seamless pipe exporter, 2507 UNS S32750 seamless duplex steel pipe stockholder, ss cold draw duplex steel pipe supplier more than 15 years experience in production ,our 2507 UNS S32750 duplex steel pipes have competitive price , these products are applicate in Decoration construction, upholstery, industry instrument

We offer 2507 duplex stainless steel pipes with high quality in various grades.The duplex steel stainless pipes cover welded steel pipes and seamless steel pipes.The shapes can be divided into stainless steel round ,square,rectangular, pipe and stainless steel .They are mainly used in industry,medical,machinery,decoration and etc.

duplex steel pipe details description:

	Item	
2.	Material	S31500,S31803,S32900,S31260,S32750,S32550,W-Nr 1.4462, W-Nr 1.4417,W-Nr 1.4507,W-Nr 1.4501,W-Nr 1.4362,W-Nr 1.4410, W-Nr 1.4460, 2205, 2507, 2304,etc.
3.	Specifications	Wall thickness 1.0-150mm(SCH10S-XXS)
		Outside diameter 3.0-2500mm(1/8"-100")
		Length 6m,5.8m,8m,11.8m,12m or as required.
4.	Surface	Pickling, annealing, polishing, bright, sand blast, hair line, etc.
5.	Price Term	Ex-work, FOB, CFR, CIF, or as required.
6.	Payment Term	T/T, L/C, Western Union.
7.	MOQ	500kg
8.	Delivery Time	Prompt delivery or according to order's quantity.
9.	Package	Export standard package: bundled wooden box, suit for all kinds of transport, or be required.

duplex steel pipe chemical composition:

Steel Grade	C≤	Mn≤	Si≤	S≤	P≤	Cr	Ni	Mo	Cu≤	N	
S32750((2507) 00Cr22Ni7Mo4N	0.03	1.20	0.80	0.020	0.035	24.0/ 26.0	6.0/ 8.0	3.0/ 5.0	0.50	0.24/ 0.32	
										0.05/ 0.10	
Steel Grade	Heat Treatment℃		Ab(MPa)≥		As(MPa)≥		EL≥		HB		HRC
S32750(2507) 00Cr22Ni5Mo3N	1025-1125		800		550		15		310		32

standard scope

This specification 2 covers grades of nominal wall thickness, stainless steel tubing for services requiring generalcorrosion resistance, with particular emphasis on resistance to

stress corrosion cracking. These steels are susceptible to embrittlement if used for prolonged periods at elevated temperatures.

1.2 The values stated in either inch-pound units or SI units are to be regarded separately as standard. Within the text, the SI units are shown in brackets. The values stated in each

system are not exact equivalents; therefore, each system must be used independently of the other. Combining values from the two systems may result in nonconformance with the specifi-

cation. The inch-pound units shall apply unless the M designation of this specification is specified in the order.

products show:





ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china