

Aisi310s Seamless Stainless Steel Tubing , Pressure Vessels Steel Metal Tubing

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 1"*sch10s
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 50TONS/30DAYS



Product Specification

Material: 310s
Standard: Aisi
Type: Seamless
Technique: Cold Drawing
Outer Diameter: 10mm-710mm
Surface: Pickling
Highlight: ss 304 seamless tube, ss seamless tube



cold draw aisi310s seamless heat resistant stainless steel pipe supplier tubing for Pressure vessels

zheheng steel mainly produces and processes stainless steel plates,

stainless steel pipes, stainless steel decorative plates and pipes. Our company supplies products toTISCO, LISCO, Baogang, Dageng, . We have plentiful source, diversecategories, bulky inventory and inexpensive prices. We can customize nonstandard and specialstainless steel products with high quality in short time. In addition, we have plate shearers, draw benches, polishing machines, TP-titanium plated and processing plants

Chemical composition and physical properties:

Type AISI	C Max %	Mn Max %	P Max%	S Max%	Si Max%	Cr%	Ni%	Mo%
304	0.08	2	0.045	0.03	1	18.00-20.00	8.0-10.50	- 1
304L	0.03	2	0.045	0.03	1	18.00-20.00	8.00-12.00	- 1
310 S	0.055	1.5	0.04	0.005	0.7	25.0-28.0	19-22	-
314	0.25	2	0.045	0.03	1.50-3.00	23.00-26.00	19.00-22.00	- 1

product des	cription:							
Standard	ASTM A312/SA312/A213/A269/A270/A268/A376/A511/A789/A790A MT302/303Se/304/304L/305/309S/310S/316/316L/317,/321/347/403/410/430/446 ASME SA376/SA789/SA268/SA270/SA269/SA213 SME SA790 DIN17456/17458,EN10216-5,JIS G3459/G3463-94,GB T14975- 2002/T14976-2002/13296-91							
Material	TP304H,TP309S,TP309H,TP310S,TP310H,TP316,TP316L,TP316N, TP316HTP317,TP317L,TP321,TP321H,TP347, TP347H,TP347LN,TP348,TP348H,TP405,TP410,TP429,TP430, TP443,TP446,TP409,TPXM-10,TPXM-11,TPXM-19, TPXM29,31803,S32205,S31500,S32250,S31260,S32001,S32304, S31200,S31260,S32750,S32900,S32950 ,S39277,S32520,S32906,S31200.S31260,1.4512,1.4002,1.4016,1.4510, 1.4006,1.4301,1.4306,1.4311, 1.4541,1.4550,1.4401,1.4404,1.4571,1.4429,1.4435,1.4436,1.4439, 1.4948,1.4429,SUS304TB,SUS304HTB, SUS304LTB,SUS309TB,SUS309STB,SUS310TB,SUS310STB,SUS316TB, SUS316HTB,SUS316TITB,SUS317TB,SUS317LTB,SUS836LTB,SUS890LTB, SUS321TB,SUS321HTB, SUS321TB,SUS321HTB, SUS347TB,SUS347HTB,SUS329J1TB,SUS329J3LTB,SUS329J4LTB,SUS405TB,SUS409TB,SUS436LTB,SUS4405TB,SUS409TB,SUS436LTB,SUS440FTB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS40JL1TB,SUS436LTB,SUS440TB,SUS40JL1TB,SUS436LTB,SUS440TB,SUS40JL1TB,SUS436LTB,SUS440TB,SUS40JL1TB,SUS436LTB,SUS440TB,SUS40JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS440TB,SUS430JL1TB,SUS436LTB,SUS430JL1TB,SUS436LTB,SUS430JL1TB,SUS436LTB,SUS430JL1TB,SUS436LTB,SUS430JL1TB,SUS436LTB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430JL1TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS430TB,SUS440							
	0.0	Round	Square	Rectangular				
Size	OD WT	6-760mm 0.5-80mm	10*10-508*508mm 1.0-25.0mm	20*10-600*400mm 1.0-25.0mm				
	Length 3m, 5.8m, 6m, 11.8m, 12m, or as required.							
Technique	Cold Drawn, Cold Rolled, Welded							
Surface Finishes	a) Sanded b) 200# 320# 400#-600# 800# mirror c) hairline brushed							
Application	Boiler, Heat-exchanger, Power Plant, Building Construction, Aerospace, Petrochemical, Mechanical, Food, Medical, Paper, Fertilizer Industry and other temperature and pressure service							
Testing	UT, ET, Impact Test, Intergranular Corrosion Test, Leak Tightness Test, Non-destructive Test							
Package	Bundle Packing, Wooden Cases, Woven Cloth, Plastic Packing, Waterproof Paper Covered							





Wenzhou Zheheng Steel Industry Co.,Ltd

15858820108



No999 .wenzhou airport wenzhou city,zhejiang china