

Thick / Thin Wall Seamless Stainless Steel Tubing Stockists 1.5 Inch 10mm / 18mm

Basic Information

Place of Origin: CHINA
Brand Name: zheheng
Certification: ISO9001 PED
Model Number: 1inch--10inch
Minimum Order Quantity: Negotiable
Price: Negotiable

Packaging Details: In bundles with waterproof material,or

wooden crate packing

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, D/A, D/PSupply Ability: 50TONS/30DAYS



Product Specification

• Dimentions: 1.5 Inch / 100mm / 10mm / 120mm / 12mm


• Size: Thick Wall And Thin Wall

Type: SeamlessSteel Grades: 304

Application: Machinery And Equipment,

• Shape: Hollow

• Highlight: ss 304 seamless tube, ss seamless tube



More Images



Product Description

Price for thick / thin wall stainless steel tube stockists 1.5 inch / 100mm / 10mm / 12mm / 12mm / 14mm / 18mm

Zheheng steel are specialized in produce thick wall stainless steel tube ,thin wall stainless steel tube ,size from 1.5 inch,100mm,10mm,12mm,14mm,18mm to 120mm and so on,we are also stainless steel tube stockists in china ,Main Materials are:201, 304, 316L, 309S, 310S, 2205, 904L and other series of hot and cold rolled, sheets, tubes, profiles products. Products are mainly used in the field of electric furnace, boiler, pressure vessel, electrical equipment, petroleum industry, chemical industry, medical equipment, food production, environmental protection, machinery and equipment, etc...

About our products

- (1) Commodity: S304 stainless steel hollow tube standard
- (2) Process Method: Cold Drawn / Cold Rolled
- (3) Surface Finish: Annealed&Pickled,Polished
- (4) Schedule: Sch 5/5S, 10/10S, 20, 30, 40/40S, 60, 80/80S, 100, 120, 140, 160, STD, XXS.
- (5) Main Steel Type & Grade: (a) Austenitic Steel: TP 304/304L/304H/304N, TP310S, TP 316/316L/316Ti/316H, TP 317/317L, TP321/321H, TP347/347H, 904L. (b) Duplex Steel S32205, S31803, S32750.

Bussiness Terms

Packing

I. Common Standard Export-sea Packing: Each bundle is fixed at lest three times strips, wrapped with durable PVC material.

II. Special Packing: Covered with film and packed in wooden box.

MOO:1 Ton

Payment Term:30% advanced T/T payment, the balance before shipment or against copy of B/L

Shipment Term: The goods should be loaded with 20ft container or LCL.

Quality Assurance:Mill Test Certificate is provided, Third Party Inspection is acceptable, Free Sample is available for Testing and welcome to our factory for personal inspection.

other product description and chemical composition

	Material					
		201	202	304	316	430
	Composition					
	С	≤0.15	≤0.15	≤0.08	≤0.08	≤0.12
	Si	≤1.00	≤1.00	≤1.00	≤1.00	≤1.00
Chemical Composition of Material	Mn	5.5-7.5	7.5-10	≤2.00	≤2.00	≤1.00
	P	≤0.06	≤0.06	≤0.045	≤0.045	≤0.040
	S	≤0.03	≤0.03	≤0.030	≤0.030	≤0.030
	Cr	16-18	17-19	18-20	16-18	16-18
	N	3.5-5.5	4-6	8-10.5	10-14	
	Мо				2.0-3.0	
	Material Item		201	202	304	316
, ,	Tensile Strength		≥535	≥520	≥520	≥520
	Yield Strength		≥245	≥205	≥205	≥205
	Extension		≥30%	≥30%	≥35%	≥35%
	Hardness (HV)		<253	<253	<200	<200

Why zheheng steel is your best choice?

- I. We have shown remarkable growth as leading manufacturer and exporter of Stainless Steel Products which are used in various industries.

 II. Advantages: Our products are heavily favored for their standard material, excellent finish, optimum strength, long life, corrosion resistance, competitive price and reliable services.
- III. We have exported to Ecuador, Singapore, Australia, Vietnam, Indonesia, Malaysia, Turkey, South Africa, Chile, Mexico, Brazil, Peru, Ghana, Bahrain etc. So we are rich in export experience and specialize in stainless steel.

Our product show:





Wenzhou Zheheng Steel Industry Co.,Ltd

15858820108

sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china