



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd  
stainless-steelseamlesspipe.com



## Flexible Stainless Steel Coil Tubing , High Pressure Coiled Metal Tubing For Bend

Our Product Introduction

for more products please visit us on [stainless-steelseamlesspipe.com](http://stainless-steelseamlesspipe.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 19mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



### Product Specification

- Material: 304 /304 L
- Standard: A269
- Type: Seamless
- Technique: Cold Drawing
- Trade Terms: FOB,CNF,CIF
- Delivery Time: 30 Days
- Highlight: 304 stainless steel coil tubing,  
stainless steel condenser coil



## Product Description

### 304 / 304 A269 Standard custom food grade flexible Istainless steel coiled tubing high pressure for bend

zheheng steel is engaged in the production and trade of all kinds of stainless steel coiled tubing and stainless steel u shape pipe is our main production and sell well. We have established business relationships with clients in the Korea, Japan, Singapore, Iran, Dubai, Yemen, Chile, Brazil, France, UK, Italy, Canada and more than 20 countries and regions for stainless steel u shape pipe Annual sales revenue is USD 50 billion. The details of payment method, delivery time and minimum quantity and so on for stainless steel u shape pipe can be negotiated according to the order.

#### Our stainless steel coiled tubing applied in :

Industrial stainless steel coil: heat exchanger, boiler, oil, chemical, chemical fertilizer, chemical fiber, pharmaceutical, nuclear power, etc.

Liquid stainless steel coil: beverage, beer, milk, water supply system, medical equipment, etc.

The mechanical structure USES stainless steel coil: printing and dyeing, printing, textile machinery, medical equipment, kitchen equipment, automobile and ship accessories, building and decoration, etc.

Stainless steel bright coil pipe: it is welded by the stainless steel strip to reduce the wall, the wall thickness is thick to thin, this process can make the wall thickness even, smooth, and the wall of the wall is not welded. According to the naked eye is seamless tube, but its process decision is welded tube. The process of reducing the wall is accompanied by bright annealing, so that the inner and outer walls will not form the oxide layer, and the inner and outer light is beautiful, which is really needed for medical products. The following procedure requires sizing, namely, the large drawing process, to determine the outer diameter, and the outer diameter tolerance can generally be positive or negative 0.01mm.

#### Production description :

Name: high pressure stainless steel coil tubing

Steel Grade	304 / 304L
Out Diameter	4mm- 20mm
Wall Thickness	1mm- 8mm
Process Method	Cold drawn and cold rolled
Surface	Polished, pickled surface...
Length	SPECIFIC OR AT RANDOM as required
Delivery	within 30 days after receiving the deposit
Payment	T/T, L/C
Price Term	FOB, CIF, CFR
Application	stainless steel coil tubing is widely used in the heat exchanger, petroleum, smelting, foodstuff, power, papermaking, chemical, medical equipment, aviation, boiler heat exchanger, and other fields

#### Chemical Composition about 304/304L stainless steel pipe

Grade	C	Si	Mn	P	S	Ni	Cr	Mo
304	≤0.08	≤1.0	≤2.0	≤0.045	≤0.03	8.0-10.5	18.0-20.0	-
304L	≤0.03	≤1.0	≤2.0	≤0.035	≤0.03	9.0-13.0	18.0-20.0	-

#### Stainless steel coiled tubing specification:

1/8" \* 0.035" (1 ~ 3500 m)

1/4" \* (0.035 ~ 0.049) \* (1 ~ 1800 m)

1/2" \* 0.049" (1 ~ 1000 m)

Φ 3 \* 0.9" (1 ~ 3500 m)

Φ 4 \* 0.9" (1 ~ 2500 m)

Φ 6 \* 0.9" (1 ~ 1700 m)

Φ 8 \* 1" (1 ~ 1000 m)

Φ 10 \* 1" (1 ~ 8000 m)

Painted Φ 26 (10 ~) (1-2) length (1-800 - m) diameter size according to customer requirements

Materials :201, 202, 304, 304L, 316L, 317L, 321(also customized according to user requirements)

Pressure: 60-100 mpa

Executive standard: ASTM a269-2002.JIS G4305.

GB/T 12770-2002gb/t12771-2002 technical requirements.

#### Packaging Details

1. by bundles, each bundle weight under 3 tons, for small outer diameter steel pipe, each bundle with 4 - 8 steel strips.

2. after making by bundle, covered with Polyethylene waterproof cloth.

3. make black paints painting on each pipe, then make bundles

Delivery Time:

Shipped in 7 days after payment

#### Products show:



ZHEHENG STEEL

**Wenzhou Zheheng Steel Industry Co.,Ltd**



15858820108



[sales@zhehengsteel.com](mailto:sales@zhehengsteel.com)



[stainless-steelseamlesspipe.com](http://stainless-steelseamlesspipe.com)

No999 .wenzhou airport wenzhou city,zhejiang china