



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd  
stainless-steelseamlesspipe.com



## AISI Astm Seamless Stainless Steel Tubing A312 1 / 2 / 3 / 4 / 5 / 6 / 8 / 10 Inch

Our Product Introduction

for more products please visit us on [stainless-steelseamlesspipe.com](http://stainless-steelseamlesspipe.com)

### Basic Information

- Place of Origin: China
- Brand Name: zheheng
- Certification: PED ,TUV ,ABS ,ISO,SGS
- Model Number: ZH- SMLS
- Minimum Order Quantity: 500 KGS
- Price: Negotiable
- Packaging Details: wooden crate packing or plastic bags packing
- Delivery Time: 7 days
- Payment Terms: T/T or L/C
- Supply Ability: 300 Tons Per month



### Product Specification

- Material: 304 ,304l
- Standard: AISI ASTM A312
- Outside Diameter: 1 , 2 , 3 , 4 , 5 , 6 , 8 Inch
- Wall Thickness: SCH10S ,SCH40S ,SCH80S
- Length: 6 Meters Or Customized
- Packing: Plastic Bags Packing Or Wooden Crate Packing
- Application: Boiler Heat Exchanging Pipe,fluid Pipe, Water Supplying Pipe,
- Highlight: **304 stainless steel seamless tubing, ss seamless pipe**



### More Images



## Product Description

### AISI Astm A312 1 / 2 / 3 / 4 / 5 / 6 / 8 / 10 INCH SUS 304 ,304L Stainless Steel Seamless Pipe

Zheheng Steel is a manufacturer specializing in the production of stainless steel 304, 304L stainless steel seamless pipes. After years of development, we are able to produce seamless stainless steel pipes of various sizes, large diameter, small diameter, precision, thick wall and thin wall. The products will be produced in strict accordance with ASTM A312 and AISI standards. It is one of the few manufacturers that can provide certificates such as PED, ISO, SGS, TUV, ABS. 304, 304L is one of the most widely used stainless steel varieties. The specific performance and description are as follows.

#### Products Description :

Item :AISI SUS 304 Stainless Steel Pipe  
 Technique : cold drawn  
 Thickness : 1-60mm  
 Outer Diameter : 6-760mm  
 Sample :sample freely  
 Quality test : we offer MTC( mill test certificate)  
 Package : Standard Seaworthy Package  
 Stock or not : enough stock  
 Payment terms : L/C T/T (30%DEPOSIT)  
 Delivery time : 7-15 days,or according to the order quantity or upon negotiation  
 Place of origin Zhejiang, China

#### Application :

handrail,railing,staircase,weldmesh screen, door, window, balcony,fence,bench,furniture,etc  
 Test Squash test, extended test, water pressure test, crystal rot test, heat treatment, NDT

#### Our Strength :

"Providing Quality Products, Excellent Service, Competitive Prices and Prompt Delivery" we are looking forward to even greater cooperation with overseas customers based on mutual benefits.

#### 304 and 304L stainless steel seamless pipe chemical composition

Chemical Composition about stainless steel pipe							
Grade	C ≤	Si ≤	Mn ≤	P ≤	S ≤	Ni ≤	Cr ≤
201	0.12	0.75	7.00	0.045	0.045	1.00-1.28	13.70-15.70
202	0.15	1	2.25	0.045	0.045	4.07-4.17	14.00-16.00
304	0.08	0.75	2	0.045	0.03	8.00-11.00	18.00-20.00
304L	0.035	0.75	2	0.045	0.03	8.00-13.00	18.00-20.00

#### WALL THCKNESS FOR STAINLESS STEEL PIPE &T UBE (ASME B36.10 & B36.19)

DNmm	DNin	φmm	SCH5S	SCH10S	SCH40S	STD	Sch40
6	1/8	10.3		1.24	1.73	1.73	1.73
8	1/4	13.7		1.65	2.24	2.24	2.24
10	3/8	17.1		1.65	2.31	2.31	2.31
15	1/2	21.3	1.65	2.11	2.77	2.77	2.77
20	3/4	26.7	1.65	2.11	2.87	2.87	2.87
25	1	33.4	1.65	2.77	3.38	3.38	3.38
32	1 1/4	42.2	1.65	2.77	3.56	3.56	3.56
40	1 1/2	48.3	1.65	2.77	3.68	3.68	3.68
50	2	60.3	1.65	2.77	3.91	3.91	3.91
65	2 1/2	76	2.11	3.05	5.16	5.16	5.16
80	3	88.9	2.11	3.05	5.49	5.49	5.49
90	3 1/2	101.6	2.11	3.05	5.74	5.74	5.74
100	4	114.3	2.11	3.05	6.02	6.02	6.02
125	5	141.3	2.77	3.4	6.55	6.55	6.55
150	6	168.3	2.77	3.4	7.11	7.11	7.11
200	8	219.1	2.77	3.76	8.18	8.18	8.18
250	10	273	3.4	4.19	9.27	9.27	9.27
300	12	323.8	3.96	4.57	9.53	9.53	10.31
350	14	355.6	3.96	4.78		9.53	11.13
400	16	406.4	4.19	4.78		9.53	12.7

#### Products Packing : ( plastic bags packing and bundle )

