

AISI Astm A312 1 2 Inch Stainless Steel Pipe 1/8 " 1/4 " 3/8 " 1/ 2" INCH SUS 304 304I

Basic Information

Place of Origin: ChinaBrand Name: zheheng

• Certification: PED ,TUV ,ABS ,ISO,SGS

Model Number: ZH- SMLS
Minimum Order Quantity: 500 KGS
Price: Negotiable

Packaging Details: wooden crate packing or plastic bags

packing

Delivery Time: 7 daysPayment Terms: T/T or L/C

• Supply Ability: 300 Tons Per month



Product Specification

Material: Sus304 ,304lStandard: AISI ASTM A312

• Outside Diameter: 1/8 ", 1/4 " ,3/8 " 1/ 2"inch

Wall Thickness: SCH10S,

Length: 6 Meters Or CustomizedPacking: Plastic Bags Packing

Application: ConstructionHighlight: ss seamless tube,

304 stainless steel seamless pipe



More Images





Product Description

AISI Astm A312 1/8 ", 1/4 " ,3/8 " 1/ 2" INCH SUS 304 ,304I Stainless Steel Seamless Tubing

Zheheng Steel is a manufacturer specializing in the production of stainless steel 304, 304L stainless steel seamless tubing. After years of development, we are able to produce 304 and304l seamless stainless steel tubing of various sizes, large diameter, small diameter, precision, thick wall and thin wall. The products will be produced in strict accordance with ASTM A312 A213 ,jis ,gb and AISI standards. It is one of the few manufacturers that can provide certificates such as PED, ISO, SGS, TUV, ABS. 304, 304Lstainless steel seamless tubing is one of the most widely used stainless steel varieties. The specific performance and description are as follows.

Products Description:

Proiduct name sus304,304l stainless steel seamless tubing

Standard: ASTM, AISI, DIN, EN, GB, JIS Model Number: 200/300/400/Alloy

Place of Origin: zhejiang, China (Mainland)

Brand Name: zheheng

Application: Construction Type: Seamless Steel Grade: 300 Series

Welding Line Type: Seamless Thickness: 0.1mm-50mm Outer Diameter: 1mm-1500mm

Material: Stainless Steel 304/316

Grade: 201/202/304 /304L/316/316L321/310s/410/420/430/440/439ect

Surface: BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D

Technique: Cold Drawing

packing and delivery:

Package Details: Plastic bag for each piece then packed in seaworthy woven bags.

Delivery Time: Within 15-20 days or according clinet's quantity

Our Strength:

We will be first-class product quality and after-sales service, welcomed the new and old customers came to discuss cooperation.

304 and 304L stainless steel seamless pipe chemical composition

Chemical Composition about stainless steel pipe									
Grade	C ≤	Si ≤	Mn≤	P≤			Cr≤		
201	0.12	0.75	7.00	0.045	0.045	1.00-1.28	13.70- 15.70		
202	0.15	1	2.25	0.045	0.045	4.07-4.17	14.00- 16.00		
304	0.08	0.75	2	0.045	0.03	8.00- 11.00	18.00- 20.00		
304L	0.035	0.75	2	0.045	0.03	8.00- 13.00	18.00- 20.00		

WALL THCKNESS FOR STAINLESS STEEL PIPE &T UBE (ASME B36.10 & B36.19)

						•	
					SCH40		
DNmm	DNin	φmm	SCH5S	SCH10S	S	STD	Sch40
6	1/8	10.3		1.24	1.73	1.73	1.73
8	1/4	13.7		1.65	2.24	2.24	2.24
10	3/8	17.1		1.65	2.31	2.31	2.31
15	1/2	21.3	1.65	2.11	2.77	2.77	2.77
20	3/4	26.7	1.65	2.11	2.87	2.87	2.87
25	1	33.4	1.65	2.77	3.38	3.38	3.38
32	1 1/4	42.2	1.65	2.77	3.56	3.56	3.56
40	1 1/2	48.3	1.65	2.77	3.68	3.68	3.68
50	2	60.3	1.65	2.77	3.91	3.91	3.91

Products show: (plastic bags packing and bundle, pickling)





Wenzhou Zheheng Steel Industry Co.,Ltd

15858820108

sales@zhehengsteel.com 😝 stainless-steelseamlesspipe.com



No999 .wenzhou airport wenzhou city,zhejiang china