CHINA

zheheng

5mm

wooden

5-55days

10000+

ISO9001 PED

\$1000-6500/Ton

# Aviation, Electronics, Industrial, Medical, Chemical Manufacture Super Nickel Alloy W. Nr 2.4858 Incoloy 825 Pipe

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 2000
- Price:
- Packaging Details:
- Delivery Time:

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

- Payment Terms: T/T, L/C
- Supply Ability:




### Product Specification

- Model NO.:
- Specification:
- HS Code:
- Trademark:
- Usage:
- Section Shape:
- Transport Package:
- Supply Ability:
- Highlight:
- Incoloy 825 As Customers Requirement 73044190 Zheheng Pipeline Transport Round
- Exporting Packing 50TONS/30DAYS
- Medical Nickel Alloy Pipe, Industrial Nickel Alloy Pipe, Chemical Manufacture Nickel Alloy Pipe



### More Images





#### **Product Description**

#### **Product Instruction**

Incolog 800HT® is nickel-iron-chromium alloy. The alloys' higher creep-rupture strength is the result of aluminum, carbon, and titanium contents. In addition, Incolog 800® has good corrosion resistance in acidic environments while being resistant to oxidation and carburization in high temperature environments.

Incoloy 800HT® sheet is available in thicknesses ranging from .020 to .156". Incoloy 800HT® strip in coil from is available in lighter gauges up 12" wide. Incoloy 800HT plate is available up 2" thick.

Incoloy 800HT® bar is available in wrought bar up to 8" diameter and larger sizes and shapes may be forged to order.

The main alloy elements are copper, chromium and molybdenum. It has good comprehensive performance, can resist various acid corrosion and stress corrosion. The first application was nickel - copper alloy, also known as monel alloy. In addition, there are nickel-chromium alloys, nickel-molybdenum alloys, nickel-chromium molybdenum alloys, etc. Used to manufacture all kinds of corrosion resistant parts.

Equipment and components for sour-gas service

Reactors for acetic acid production

Sulphuric acid coolers

Methylene diphenyl isocyanate (MDI)

Manufacture and processing of technically impure phosphoric acid

Combustion-resistant alloy for high pressure oxygen applications

**Our Product Introduction** 

Product	Thickness	Diameter	Wall Thickness	Width	Length
Plate	0.3mm-30mm			1m/1.22m/1.5m	1m-11.8m
Bar		2mm- 300mm			1m-5m
Pipe		6mm- 406mm	0.3mm-30mm		
Forging	30mm-300mm	300mm- 800mm			0.2m-1m
For the plate, bar and pipe, we can cut for you according to your required length from our stock.					

Hastelloy C-276 Chemical composition

Alloy	%	Ni	Cr	Мо	Fe	W	Со	С	Mn	Si	V	Р	S
C		се	16.5	15 17	4 7	3 4.5	2.5	0.08	1	1	0.35	0.04	0.03
C276			14.5 1 6.5	15 17	47	3 4.5	2.5	0.01	1	0.08	0.35	0.04	0.03

Welding of Inconel 600

Any traditional welding procedures can be used to weld Inconel 600 to similar alloys or other metals. Before welding, preheating is needed and also any stain, dust or mark should be cleared by steel wire brush. About 25mm width to welding edge of base metal should be polished to bright.

Recommend filler wire regarding welding Inconel 600: ERNiCr-3

Size Range

Inconel 600 wire, bar, rod, forging, plate, sheet, tube, fastener and other standard forms are available.

#### FAQ

Q: Are you trading company or manufacturer ? A: We are factory.

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

Q: What is your terms of payment ?

A: 100% T/T advance. (For small order.)

B: 30% T/T and balance against copy of documents.

C: 30% T/T advance, balance L/C at sight

D: 30% T/T , balance L/C usance

E: 100% L/C usance.



24EHENNI STEEL Wenzhou Zheheng Steel Industry Co.,Ltd
S 15858820108 Sales@zhehengsteel.com Stainless-steelseamlesspipe.com
No999 .wenzhou airport wenzhou city,zhejiang china