

# ASTM Cold Drawn Alloy Steel Pipe /Nickel Alloy Inconel 600 Seamless Pipe

### **Basic Information**

Place of Origin: WenzhouBrand Name: zhehengCertification: ISO9001 CE

Model Number: 5mmMinimum Order Quantity: 3000

Price: \$1000-4200/Ton
Packaging Details: as required
Delivery Time: 5-8days
Payment Terms: T/T, L/C
Supply Ability: 1000+



## **Product Specification**

Surface Treatment: PolishedOd: 10-400mm

• Specification: DN90-DN1200MM

• MOQ: 500kgs

• Surface: Annealing, Pickling, Polishing

• Thickness: Sch5s~Sch160,Xxs

• Alloy: Alloy

Powder: Not Powder

Highlight: Inconel 600 Seamless Pipe,
 Nickel Alloy Inconel 600 Seamless

Nickel Alloy Inconel 600 Seamless Pipe, ASTM Cold Drawn Seamless Pipe



## More Images







### **Product Description**

alloy steel pipe /Nickel alloy Inconel 600 seamless pipe

Material : Inconel 600

**Producing Method: Cold Drawing** 

Size: OD:10-90mm WT: 1-10mm

Application: Boiler, Heat Exchanger, Superheater and so on. cid cooling

INCONEL 625 UNS N06625 seamless welded Alloy pipe

The main alloy elements are copper, chromium and molybdenum. It has good comprehensive performance, can resist various acid corrosion and stress corrosion. The first application was nickel - copper alloy, also known as monel alloy. In addition, there are nickel-chromium alloys, nickel-molybdenum alloys, nickel-chromium molybdenum alloys, etc. Used to manufacture all kinds of corrosion resistant parts.

Specifications	ASTM B517 / ASME SB 517
Dimensions	ASTM, ASME and API
Seamless 825 Pipes	4 to 219mm W. T.: 0.5 to 20mm
Welded 825 Pipes	5.0 mm - 1219.2 mm
EFW 825 Pipes	5.0 mm - 1219.2 mm
Size	15"NB TO 150"NB IN
Specialized in	Large Diameter Size
Schedule	SCH5, SCH10, SCH40, STD, SCH80, SCH160
Туре	Seamless / ERW / Welded / Fabricated / LSAW Pipes
Form	Round, Hydraulic Etc
Length	Single Random, Double Random & Cut Length.
End	Plain End, Beveled End, Treade

#### Packaging & Shipping

- 1. woven bag
- 2. wooden case

Delivery time: 7-15 days, subject to the quantity.

The main alloy elements are copper, chromium and molybdenum. It has good comprehensive performance, can resist various acid corrosion and stress corrosion. The first application was nickel - copper alloy, also known as monel alloy. In addition, there are nickel-chromium alloys, nickel-molybdenum alloys, nickel-chromium molybdenum alloys, etc. Used to manufacture all kinds of corrosion resistant parts.

Equipment and components for sour-gas service

Reactors for acetic acid production

Sulphuric acid coolers

Methylene diphenyl isocyanate (MDI)

Manufacture and processing of technically impure phosphoric acid

Combustion-resistant alloy for high pressure oxygen applications

Item	seamless pipe
STANDARD	ASTM, AISI, ASME, JIS, DIN, EN, GB, BS, SUS
1	inconel 600, inconel 625, inconel 718, nitronic 50, nitronic 60, nimonic 75, nimonic 90, hastelloy C276, hastelloy X, incoloy 800, incoloy 825, etc
OD	1mm-150mm(1/8" -120" )(INCH)
WT	6mm-2500mm(Sch5S-SchXXS)
LENGTH	1). 5.8m, 6m 12m or as required 2). 20feets, 40feets 3). random length or as customer request
TYPE	Seamless& welded

Q: Are you trading company or manufacturer?

A: We are factory.

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

Q: What is your terms of payment?

A: 100% T/T advance. (For small order.)

B: 30% T/T and balance against copy of documents.

C: 30% T/T advance, balance L/C at sight

D: 30% T/T , balance L/C usance

E: 100% L/C usance.





Wenzhou Zheheng Steel Industry Co.,Ltd

