

Alloy Not Powder N06600 Inconel 600 Nickel Alloy Seamless Round Tube Hollow Pipe

Basic Information

Place of Origin: WenzhouBrand Name: zhehengCertification: ISO9001 CE

Model Number: 5mmMinimum Order Quantity: 3000

Price: \$1000-4200/Ton
Packaging Details: as required
Delivery Time: 5-8days
Payment Terms: T/T, L/C
Supply Ability: 1000+



Product Specification

• Shape: Round.Square.Rectangle

Stock: In Stock
 T.S.(≥ MPa): 550
 MOQ: 500kgs

• Surface: Annealing, Pickling, Polishing

• Thickness: Sch5s~Sch160,Xxs

Alloy: AlloyPowder: Not Powder

• Highlight: N06600 Seamless Round Tube,

 ${\bf Hollow\ Pipe\ Seamless\ Round\ Tube},$

Alloy Seamless Round Tube



More Images





Product Description

DIN Standard Inconel 600 Nickel Based Alloy Pipe for Excellent Mechanical PropertiesInconel 600 is a nickel-chromium alloy used for applications that require corrosion and high temperature resistance. This nickel alloy was designed for service temperatures from cryogenic to elevated temperatures in the range of 2000° F. It is non-magnetic, has excellent mechanical properties, and presents the desirable combination of high strength and good weldability under a wide range of temperatures. The high nickel content in Inconel 600 enables it to retain considerable resistance under reducing conditions, makes it resistant to corrosion by a number of organic and inorganic compounds, gives it excellent resistance to chloride-ion stress-corrosion cracking and also provides excellent resistance to alkaline solutions. Typical applications of this nickel alloy include the chemical, pulp and paper, aerospace, nuclear engineering and heat treating industries.

Packaging & Shipping

- 1. woven bag
- 2. wooden case

Delivery time:7-15 days, subject to the quantity

Equipment and components for sour-gas service
Reactors for acetic acid production
Sulphuric acid coolers
Methylene diphenyl isocyanate (MDI)
Manufacture and processing of technically impure phosphoric acid
Combustion-resistant alloy for high pressure oxygen applications

INCONEL 625 UNS N06625 seamless welded Alloy pipe

Specifications	ASTM B517 / ASME SB 517
Dimensions	ASTM, ASME and API
Seamless 825 Pipes	4 to 219mm W. T.: 0.5 to 20mm
Welded 825 Pipes	5.0 mm - 1219.2 mm
EFW 825 Pipes	5.0 mm - 1219.2 mm
Size	15"NB TO 150"NB IN
Specialized in	Large Diameter Size
Schedule	SCH5, SCH10, SCH40, STD, SCH80, SCH160
Туре	Seamless / ERW / Welded / Fabricated / LSAW Pipes
Form	Round, Hydraulic Etc
Length	Single Random, Double Random & Cut Length.
End	Plain End, Beveled End, Treade

Packaging & Shipping

- 1. woven bag
- 2. wooden case

Delivery time:7-15 days, subject to the quantity.

n	
Item	seamless pipe
STANDARD	ASTM, AISI, ASME, JIS, DIN, EN, GB, BS, SUS
IMATERIAL	inconel 600, inconel 625, inconel 718, nitronic 50, nitronic 60, nimonic 75,
	nimonic 90, hastelloy C276, hastelloy X, incoloy 800, incoloy 825, etc
OD	1mm-150mm(1/8" -120")(INCH)
WT	6mm-2500mm(Sch5S-SchXXS)
LENGTH	1). 5.8m, 6m 12m or as required
	2). 20feets, 40feets
	3). random length or as customer request
TYPE	Seamless& welded

Q: Are you trading company or manufacturer ?

A: We are factory.

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

Q: What is your terms of payment ?

A: 100% T/T advance. (For small order.)

 $B\!:\!30\%$ T/T and balance against copy of documents.

C: 30% T/T advance, balance L/C at sight

D: 30% T/T , balance L/C usance

E: 100% L/C usance.



15858820108

sales@zhehengsteel.com

e stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china