

# Oil/Gas Drilling Cold Rolled Seamless Round Stainless Tube SS304/316L/Ss2205


#### **Basic Information**

Place of Origin: CHINA

• Brand Name: zheheng steel

• Certification: GOST9941-81, CCS, ISO 9001-2008

Model Number: 18mm
Minimum Order Quantity: Negotiable
Price: Negotiable
Packaging Details: as required
Delivery Time: 5-7days
Payment Terms: T/T, L/C
Supply Ability: 1000+



## **Product Specification**

• Shape: Round

• Technique: Cold Drawn

Transport Package: Standard Seaworthy PackageSurface Treatment: Sand Blast Or Snad Rolling

Usage: Oil/Gas DrillingCustomize: Available

Standard: ASTM, AISI, GB, JIS, DIN, EN
 Grade: 200series, 300 Series, 400series, 2b

Highlight: Ss2205 Seamless Round Stainless Tube,

SS304 Seamless Round Stainless Tube



## More Images





### **Product Description**

Seamless Round Pipe (SS304 ss321 ss310s S32205)

Stainless steel pipe is a hollow, long, round steel or square rectangle materialthat is widely used in industrial transportation pipelines andmechanicalcal structural components. In addition, when the bending and torsional strength is the same, the weight od stainless steel tube is light, so stainless steel pipe is also widely used in manufacturingmechanical parts and engineering structures.

#### Basic Info.

Model NO.	304/316L	Trademark	Zheheng
Wall Thickness	Sch5/Sch10/Sch40/Sch8 0/Sch160/Xxs 1.65mm- 30.75mm	Transport Package	Nylon Bags or Wooden Cases
Length	5m-12m	Specification	1/2"-28"(DN15- DN700)/21.3mm-711mm
Customize	Available	Origin	Wenzhou, China
Certs	ISO 9001-2008, Ce. PED	HS Code	7304419000
Color	Sliver		

Industry stainless steel pipe use for water project

1.Material: 304,304L

2.OD: 10 - 273.5 mm Thickness: 0.8 - 8.0 mm

3.Delivery Time: 7-30Days 4.Certs: ISO 9001-2008, CE. PED

#### **Product Description**

What is the details of Industry stainless steel pipe use for water project?

Name	Industry stainless steel pipe use for water project		
Standard	ASTM, GB, JIS, DIN, EN, AISI		
Material Grade	TP304 TP304L TP316 TP316L TP347 TP347H TP321 TP321H TP310 TP310S TP410 TP410S TP403 S31803/S32205 S32750 S32760		
Outer Diameter	Seamless Pipe: 4mm-812.80mm		
Thickness	Seamless Pipe: 0.5mm - 60mm		
Seamless Pipe	5.8-6.1 m or as customers' request		
Tolerance	Acording to the Standard.		
Surface	180G, 320G, 400G Satin / Hairline 400G, 500G, 600G or 800G Mirror finish		
Test	UT, ET, HT, RT,ect, and others according to the standard,or as the requests of the customers		
Certificate	ISO9001-2008,ASME, PED		
Delivery Time	7-30 Days, Depends on quantity		

#### FAQ

Q1: What is your terms of payment?

A: 30% T/T in advance, the balance 70% before delivery. We will show you the photos of products and package before you pay the balance.

Q2: what is the terms of delivery?

A: EXW, FOB, CIF, CFR, DDU

Q3: What is the terms of packing?

A: generally, we pack our goods in bundles or coils with rods or belts, we could also pack the goods as the customers' requirement.

Q4: What is your delivery time?

A: For stocks, we could transport the goods to loading port within 7 days after we received your deposit.

For production period, it usually takes about 15 days-30 days after receiving the deposit.

Q5: Could you produce according to the samples?


A: Yes, we could customer-made by your samples or technique drawings, we could build the mold and fixtures.

Q6: Could you provide the samples?

A: yes, we could provide the free samples on conditons it is available in stocks, however, the the transportation fee is borne by

Q7: How could you guarantee your products?

A: Each piece of products is manufactured by certified workshops, inspected by Lenser piece by piece according to national QA/QC standard. We also could issue the warranty to customer to guarantee the quality





ZHEHENG STEEL Wenzhou Zheheng Steel Industry Co., Ltd

