

Cold Draw 6m S32304 18mm Stainless Steel Seamless Pipe

Basic Information

- Place of Origin:
- Brand Name:
- zheheng steel GOST9941-81, CCS, ISO 9001-2008

CHINA

as required

5-7days

1000+

- Certification: 18mm
- Model Number:
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Transport Package:
- Specification:
- Model NO.:
- Surface Treatment:
- Section:
- Customize:
- Standard:
- Face:
- Highlight:

Standard Export Package Or As Required
SGS, CE, RoSH
300 Series
Pickling
Round
Available
ASTM, AISI, GB, JIS, DIN, EN
Black
18mm Stainless Steel Seamless Pipe,

S32304 Stainless Steel Seamless Pipe, 6m Stainless Steel Seamless Pipe



More Images





for more products please visit us on stainless-steelseamlesspipe.com

Our Product Introduction

Product Description

Standard Export Package or as Required 201 304 304L 310S 316 316L 321 Seamless Stainless Steel Pipe

Quick Details

Standard: ASTM, AISI, DIN, EN, GB, JIS Place of Origin: Jiangsu, China (Mainland) Model Number: 201, 304, 304L, 310S, 316, 316L, 321, etc. Type: Seamless Welded Steel Grade: 300 Series Application: Fluid, gas and oil transport, Construction Certification: BV IBR ISO RoHS SGS Welding Line Type: Seamless Thickness: 0.5-30mm Outer Diameter: 6-500mm Color: Natural color Process: Cold-draw, extrude, Polish

4,444
67, EN10088-

Industry stainless steel pipe use for water project

1.Material: 304,304L

2.OD: 10 - 273.5 mm Thickness: 0.8 - 8.0 mm

3.Delivery Time: 7-30Days

4.Certs: ISO 9001-2008, CE. PED

Product Description

What is the details of Industry stainless steel pipe use for water project?

Name	Industry stainless steel pipe use for water project
Standard	ASTM, GB, JIS, DIN, EN, AISI
	TP304 TP304L TP316 TP316L TP347 TP347H TP321 TP321H TP310
Material Grade	TP310S
	TP410 TP410S TP403 S31803/S32205 S32750 S32760
Outer Diameter	Seamless Pipe: 4mm-812.80mm
Thickness	Seamless Pipe: 0.5mm - 60mm
Seamless Pipe	5.8-6.1 m or as customers' request
Tolerance	Acording to the Standard.
Surface	180G, 320G, 400G Satin / Hairline 400G, 500G, 600G or 800G Mirror
Sunace	finish
Test	UT, ET, HT, RT, ect, and others according to the standard, or as the
	requests of the customers
Certificate	ISO9001-2008,ASME, PED
Delivery Time	7-30 Days, Depends on quantity

FAQ

Q1: What is your terms of payment?

A: 30% T/T in advance, the balance 70% before delivery. We will show you the photos of products and package before you pay the balance. Q2: what is the terms of delivery?

A: EXW, FOB, CIF, CFR, DDU

Q3: What is the terms of packing?

A: generally, we pack our goods in bundles or coils with rods or belts, we could also pack the goods as the customers' requirement.

Q4: What is your delivery time?

A: For stocks, we could transport the goods to loading port within 7 days after we received your deposit.

For production period, it usually takes about 15 days-30 days after receiving the deposit.

Q5: Could you produce according to the samples?

A : Yes, we could customer-made by your samples or technique drawings, we could build the mold and fixtures.

Q6: Could you provide the samples?

A: yes, we could provide the free samples on conditons it is available in stocks, however, the the transportation fee is borne by buyer. Q7: How could you guarantee your products?

A: Each piece of products is manufactured by certified workshops, inspected by Lenser piece by piece according to national QA/QC standard. We also could issue the warranty to customer to guarantee the quality



