Seamless Round Stainless Steel Tubes Pipes 304 316

Basic Information

. Place of Origin: Wenzhou ZHE HENG Brand Name: • Certification: ISO9001,CE

• Model Number: 304,304L,304N,304LM,316

 Minimum Order Quantity: 500 kg

• Price: \$1000-4200/Ton

Exportsea worthy packing with each bundle · Packaging Details:

tied and protected, Or as to clients' requirements.

• Delivery Time: 30-45 work days • Payment Terms: L/C, T/T, D/P • Supply Ability: 1000+



Product Specification

100% Quality Of 304 Stainless Steel Pipe With Cheap Price Term Name:

Rounde Pipe Shape:

. Technique: Cold Rolled Seamless/Welded

• Thickness Tolerance: 1.2mm 1.5mm 2mm 1000mm-12000mm . Length: As Per Requirement • Welding Line Type: Seamless/welded · Packing: We Can Negotiate

• Highlight: Seamless Round Stainless Steel Tubes Pipes,

Round Stainless Steel 316 Pipes 2mm Stainless Steel Round Pipes



Product Description

Product Description

Overview:

The 304 stainless steel welded pipe for decoration is welded because of the pipe process, but the seamless steel pipe is

not welded like its name. Good quality decorative stainless steel welded pipe, weld all do nitrogen internal protection.

Under normal circumstances, there are certain differences in the chemical composition of general 304 stitched stainless steel pipes and seamless stainless steel pipes. The composition of steel for the production of seamless stainless steel pipes only meets the basic requirements of astm. For the production of welded stainless steel pipes, the steel contains chemical components suitable for welding, such as silicon, sulfur, manganese, oxygen and ferrite and other elements in a certain proportion of the mixture can produce a welding flux that is easy to transfer heat during the welding process, so that the entire weld is welded through. And seamless stainless steel pipe, due to the lack of the above elements, in the welding process will

produce a variety of unstable factors, not easy to weld and welding opaque.

Stainless Steel Seamless Pipe Chemical Component:

Chemic	al Compos	ition ab	out stain	less steel	pipe			
Grade	C≤	Si ≤	Mn≤	P≤	S≤	Ni≤	Cr ≤	
201	0.12	0.75	7.00	0.045	0.045	1.00-1.28	13.70- 15.70	
202	0.15	1	2.25	0.045	0.045	4.07-4.17	14.00- 16.00	
304	0.08	0.75	2	0.045	0.03	8.00- 11.00	18.00- 20.00	
304L	0.035	0.75	2	0.045	0.03	8.00- 13.00	18.00- 20.00	
309	0.15	0.75	2	0.045	0.03	12.00- 15.00	22.00- 24.00	
310S	0.08	1.5	2	0.045	0.03	19.00- 22.00	24.00- 26.00	
316	0.08	1	2	0.045	0.03 10.00-		16.00- 18.00	
316L	0.035	0.75	2	0.045	0.03	0.03 10.00- 15.00		
321	0.04-0.10	0.75	2	0.045	0.03	9.00- 13.00	17.00- 20.00	

Δt	e ta	e tabl

WALL		SS FOR	STAINLES	S STEEL F	PIPE &T UB	E (ASM	E B36.10	& B36.19)					
DNmm	DNin	φmm	SCH5S	SCH10S	SCH40S	STD	Sch40	Sch60	Sch80s	XS	Sch80	Sch120	Sch140	Sch1
6	1/8	10.3		1.24	1.73	1.73	1.73		2.41	2.41	2.41			\neg
8	1/4	13.7		1.65	2.24	2.24	2.24		3.02	3.02	3.02			\top
10	3/8	17.1		1.65	2.31	2.31	2.31		3.2	3.2	3.2			\top
15	1/2	21.3	1.65	2.11	2.77	2.77	2.77		3.73	3.73	3.73			4.78
20	3/4	26.7	1.65	2.11	2.87	2.87	2.87		3.91	3.91	3.91			5.56
25	1	33.4	1.65	2.77	3.38	3.38	3.38		4.55	4.55	4.55			6.35
32	1 1/4	42.2	1.65	2.77	3.56	3.56	3.56		4.85	4.85	4.85			6.35
40	1 1/2	48.3	1.65	2.77	3.68	3.68	3.68		5.08	5.08	5.08			7.14
50	2	60.3	1.65	2.77	3.91	3.91	3.91		5.54	5.54	5.54			8.74
65	2 1/2	76	2.11	3.05	5.16	5.16	5.16		7.01	7.01	7.01			9.53
80	3	88.9	2.11	3.05	5.49	5.49	5.49		7.62	7.62	7.62			11.10
90	3 1/2	101.6	2.11	3.05	5.74	5.74	5.74		8.08	8.08	8.08			
100	4	114.3	2.11	3.05	6.02	6.02	6.02		8.56	8.56	8.56	11.13		13.49
125	5	141.3	2.77	3.4	6.55	6.55	6.55		9.53	9.53	9.53	12.7		15.88
150	6	168.3	2.77	3.4	7.11	7.11	7.11		10.97	10.97	10.97	14.27		18.26
200	8	219.1	2.77	3.76	8.18	8.18	8.18	10.31	12.7	12.7	12.7	18.26	20.62	23.0
250	10	273	3.4	4.19	9.27	9.27	9.27	12.7	12.7	12.7	15.09	21.44	25.4	28.58
300	12	323.8	3.96	4.57	9.53	9.53	10.31	14.27	12.7	12.7	17.48	25.4	28.58	33.32
350	14	355.6	3.96	4.78		9.53	11.13	15.09		12.7	19.05	27.79	31.75	35.7
400	16	406.4	4.19	4.78		9.53	12.7	16.66		12.7	21.44	30.96	36.53	40.49
450	18	457	4.19	4.78		9.53	14.27	19.05		12.7	23.83	34.93	39.67	45.24
500	20	508	4.78	5.54		9.53	15.09	20.62		12.7	26.19	38.1	44.45	50.0
550	22	559	4.78	5.54		9.53		22.23		12.7	28.58	41.28	47.63	53.98
600	24	610	5.54	6.35		9.53	17.48	24.61		12.7	30.96	46.02	52.37	59.54
650	26	660				9.53				12.7			П	\top
700	28	711				9.53				12.7				
750	30	762	6.35	7.92		9.53				12.7			П	\top
800	32	813				9.53	17.48			12.7			П	
850	34	864				9.53	17.48			12.7				\neg
900	36	914				9.53	19.05			12.7			П	
950	38	965				9.53				12.7				\neg
1000	40	1016				9.53				12.7				\neg
1050	42	1067			T T	9.53	1	1		12.7			Ħ	\top
1100	44	1118			T T	9.53		1		12.7			Ti -	\top
1150	46	1168			T T	9.53	Ì	i	i	12.7			Ti .	\top
1200	48	1219			1	9.53				12.7			Ħ	\top





FAQ:

- Q: Are you a manufacturer or merely a trader?
- A: We are group of companies and owned manufacturer bases and trading company. We specialized in special steel which include alloy structural steel and carbon steel and stainless steel, etc. All material are with high quality and competitive price.
- Q: How do you guarantee the quality of your product?
- A: Firstly, we can provide the certificates from the third party, such as TUV, CE, if you need. Secondly, we have a complete set of inspection system and every process is checked by QC. Quality is the lifeline of enterprise survival.
- A: We have ready stock for most of material grades in our warehouse. If the material don't have stock, the delivery lead time is about 5-30 days after receiving your prepayment or firm order.
- Q: What is the payment term?
- A: T/T or L/C.
- Q: Can you provide a sample for our testing before confirm the order?
- A: Yes. We can provide sample to you for approval before you place an order to us. Free sample is available if we have stock.
- Q: Can we visit your company and factory?
- A: Yes, warmly welcome! We can book the hotel for you before you come to China and arrange our driver to our airport to pick you up when you come.

