

JIS SUS304 Seamless Tubing Stainless Steel Pipe 75mm Diameter EN1.4301

Basic Information

Model Number:

Place of Origin: Wenzhou,China
Brand Name: ZHE HENG
Certification: BV, PED, ISO9001

• Minimum Order Quantity: 500 kg

• Price: \$1000-4200/Ton

Packaging Details:
 As to clients' requirements Wooden

Cases Bundle Packin

EN1.4301 JIS SUS304

Delivery Time: 30-45 work days
Payment Terms: L/C, T/T, D/P, D/A

• Supply Ability: 1000+



Product Specification

Term Name: Matte Stainless Steel Tubing
 Material Grade: EN1.4301 JIS SUS304

• Shape: Rounde Pipe, Square Pipe, Rectangular Pipe

• Technique: Cold Rolled

• Length: 3000mm Or 11000mm

Size: Sch5s-Sch80sWelding Line Type: Seamless/Welded

Highlight: Seamless Tubing Stainless Steel Pipe,

EN1.4301 Stainless Steel Pipe Tubing,

75mm Stainless Steel Tubing



Product Description

Product Description

Overview:

EN1.430 stainless steel products are corrosion resistant containers, tableware, furniture, railings, medical equipment. The standard ingredient is 18% chromium and 8% nickel. Stainless steel that is non-magnetic and cannot change its metallographic structure by heat treatment.

Specification:

AISI	JIS	UNS	EN	Features and uses
304	SUS304	S30400	1.4301	As stainless steel heat-resistant steel is the most widely used, food equipment, general chemical equipment, atomic energy industry equipment

Outside Diameter	OD 0.28-1219mm
Thickness	0.08-100mm
Seamless Stainless Steel Pipes	1/8"NB to 32"NB IN
Production Process	Cold Drawn,Bright Anneal.etc
Туре	Seamless,welded
Surface	Pickling,Bright
Price Item	EXW,FOB,CNF,CIF etc

Stainless Steel Seamless Pipe Chemical Component:

The EN1.4301 chemical component.

Chemical Composition about stainless steel pipe											
Grade	C≤	Si ≤	Mn ≤	P≤	S≤	Ni≤	Cr≤				
EN1.4301	0.08	0.75	2	0.045	0.03	X ()()-11 ()()	18.00- 20.00				

Size table:

Seamless stainless steel pipes

WALL THCKNESS FOR STAINLESS STEEL PIPE &T UBE (ASME B36.10 & B36.19) DNm DNi pm SCH SCH1 SCH4 ST Sch4 Sch6 Sch8 XS Sch8 Sch1 Sch14 Sch16 XXS															
DNm m			SCH 5S	SCH1 0S	SCH4 0S	ST D	Sch4 0	Sch6 0	Sch8 0s	xs		Sch1 20	Sch14 0	Sch16 0	xxs
6	1/8	10.3		1.24	1.73	1.7 3	1.73	1	2.41	2.41	2.41				
8	1/4	13.7		1.65			2.24		3.02	3.02	3.02				
10	3/8	17.1		1.65	2.31	2.3 1	2.31		3.2	3.2	3.2				
15	1/2	21.3	1.65	2.11	2.77	/	2.77		3.73	3.73	3.73			4.78	7.47
20	3/4	26.7	1.65	2.11			2.87		3.91	3.91	3.91			5.56	7.82
25	1	33.4	1.65	2.77			3.38		4.55	4.55	4.55			6.35	9.09
32	1 1/4	42.2	1.65	2.77	3.56	3.5 6	3.56		4.85	4.85	4.85			6.35	9.7
40	1 1/2	48.3	1.65	2.77			3.68		5.08	5.08	5.08			7.14	10.1 5
50	2	60.3	1.65	2.77			3.91		5.54	5.54	5.54			8.74	11.0 7
65	2 1/2	76	2.11	3.05			5.16		7.01	7.01	7.01			9.53	14.0 2
80	l			3.05		, C	5.49		7.62	7.62	7.62			11.13	15.2 4
90			l	3.05			5.74		8.08	8.08	8.08				
100			l	3.05			6.02		8.56	8.56	8.56	11.13		13.49	17.1 2
125	5	141. 3	2.77	3.4	6.55	6.5 5	6.55		9.53	9.53	9.53	12.7		15.88	19.0 5

150	6	P	Γ	3.4	7.11	7.1 1	7.11		10.97	10.9 7	10.9 7	14.27		18.26	21.9 5
200	8	219. 1	2.77	3.76	8.18	8		1					20.62		22.2 3
250	10	273		4.19	9.27	/		l	l	12.7	15.0 9	21.44	25.4	28.58	25.4
300			3.96	4.57	9.53	9.5 3	10.3 1	14.2 7	12.7	12.7	17.4 8	25.4	28.58	33.32	25.4
350	14	-		4.78		1 -	11.1 3	15.0 9		12.7	19.0 5	27.79	31.75	35.71	
400	16	406. 4	4.19	4.78		9.5 3	12.7	16.6 6		12.7	21.4 4	30.96	36.53	40.49	
450	18	457	4.19	4.78		9.5 3	14.2 7	19.0 5		12.7	23.8 3	34.93	39.67	45.24	
500	20	508	4.78	5.54			15.0 9	20.6 2		12.7	26.1 9	38.1	44.45	50.01	
550	22	559	4.78	5.54		9.5 3		22.2 3		12.7	28.5 8	41.28	47.63	53.98	
600	24	610	5.54	6.35			17.4 8	24.6 1		12.7	30.9 6	46.02	52.37	59.54	
650	26	660				9.5 3				12.7					
700	28	711				9.5 3				12.7					
750	30	762	6.35	7.92		9.5 3				12.7					
800	32	813					17.4 8			12.7					

Conforms to ANSI B36.19 and ANSI B36.10 standards





FAQ:

- Q: Are you a manufacturer or merely a trader?
- A: We are group of companies and owned manufacturer bases and trading company. We specialized in special steel which include alloy structural steel and carbon steel and stainless steel, etc. All material are with high quality and competitive price.
- Q: How do you guarantee the quality of your product?
- A: Firstly, we can provide the certificates from the third party, such as TUV, CE, if you need. Secondly, we have a complete set of inspection system and every process is checked by QC. Quality is the lifeline of enterprise survival. Q: Delivery time?
- A: We have ready stock for most of material grades in our warehouse. If the material don't have stock, the delivery lead time is about 5-30 days after receiving your prepayment or firm order.
- Q: What is the payment term?
- A: T/T or L/C.
- Q: Can you provide a sample for our testing before confirm the order?
- A: Yes. We can provide sample to you for approval before you place an order to us. Free sample is available if we have stock.
- Q: Can we visit your company and factory?
- A: Yes, warmly welcome! We can book the hotel for you before you come to China and arrange our driver to our airport to pick you up when you come.



Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108

sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china