

Sch 80s Stainless Steel Pipe Fitting Concentric Reducer WP316l ASME B16.9

Basic Information

Place of Origin: Wenzhou,ChinaBrand Name: Zheheng

Certification: ISO9001 Model Number: Reducer

• Minimum Order Quantity: More than 1 piece

Packaging Details: In wooded cases or pallets, or as for clients

requirement

Delivery Time: 7-15 working days after receiving payment

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 10000 Piece/Pieces per Month



Product Specification

Application: Pharmacy,beer,food,dairy,brewing, Beverage

• Size: DN15-DN600

Standard: ASTM A403, ASME B16.9

Product Name: Concentric Reducer/Eccentric Reducer

Color: Silver, As Customer Required

Connection: Butt WeldingDelivery Term: FOB,EXW

Test: Direct-reading Spectrograph,machine

• Highlight: Stainless Steel Pipe Fitting Concentric Reducer,

WP316I Stainless Steel Concentric Reducer, ASME B16.9 Stainless Concentric Reducer



Product Description

Overview

Stainless Steel Pipe Fitting Concentric Reducer persist a full line of 304 & 316 stainless steel butt weld reducers including concentric reducers and butt weld eccentric reducers that meet strict certifications for today's pipe systems. Our reducers have high-strength and corrosion resistance for use in various industries. Our high-quality reducers come in a variety of sizes and schedules starting from SCH5S to SCH80.

Specification

Size	Welded1"-48"(DN12-DN1200) Seamless 1/2"-24"(DN15-DN600)
Wall Thickness	SCH5S-SCH160S
Standard	ASTM A815 UNS S32750 / UNS S32760 UNS S31803 / 32550 ASME B16.9
Packaging	In Wooden cases,pallets or as your requirements.
Pressure	2000#/3000#/6000#/9000#
Stainless steel reducer	ASTM A403 WP 304,304L,A403,316,316L,317,317L etc.
Carbon ateel reducerf	A234 WPB,A420 WPL6 etc.
Alloy pipe reducer	A234 WP1,WP5,WP9,WP11,WP22,WP91 etc.

Chemical Composition Of ASME WP316L Reducer

Ni	С	Mn	Р	S	Si	Cr	Мо
10.0-14.0	0.03	2.00	0.045	0.030	1.00	16.0-18.0	2.00-3.00

ASME B16.9 WP 316L Reducer Mechanical properties

K-rane	Tensile strength (MPa)	IFIONDATION (% IN SUMM)		Hardnes s≤
316L	517	50	220	79

Product Size Reference





Pipe Size(NPS)	large end	small end	l⊢nd-t∩-	Nominal Pipe Size(NPS)	large end	small end	End-to- End, H
3/4"X1/2"	26.7	213	38	5X4	141.3	114.3	127
3/4"X3/8"	26.7	17.3	38	5 x 3-1/2"	141.3	101.6	127
1"X3/4"	33.4	26.7	51	5 x 3	141.3	88.9	127
1"X1/2"	33.4	21.3	51	5 x 2-1/2"	141.3	73	127
1-1/4"X 1"	42.2	33.4	51	5 x 2	141.3	60.3	127
1-1/4"X 3/4"	42.2	26.7	51	6X5	168.3	141.3	140
1-1/4"X 1/2"	42.2	21.3	51	6x4	168.3	114.3	140
1-1/2"X 1- 1/4"	48.3	42.2	64	6 x	168.3	101.6	140
1-1/2"X 1"	48.3	33.4	64	6X3	168.3	88.9	140
1-1/2"X 3/4"	48.3	26.7	64	6 x 2-1/2"	168.3	73	140
1-1/2"X 1/2"	48.3	21.3	64	8x6	219.1	168.3	152
2"X 1-1/2"	60.3	48.3	76	8X5	219.1	141.3	152
2"X 1-1/4"	60.3	42.2	76	8X4	219.1	114.3	152
2"X 1"	60.3	33.4	76	8 x 3-1/2"	219.1	101.6	152
2"X 3/4"	60.3	26.7	76	10 x 8 .	273	219.1	178
2-1/2"X 2"	73	60.3	89	10 x 6	273	168.3	178
2-1/2"X 1- 1/2"	73	48.3	89	10 x 5	273	141.3	178

73	42.2	89	10 x 4	273	114.3	178
73	33.4	89	12 x 10	323.8	273	203
88.9	73	89	12 x 8	323.8	219.1	203
88.9	60.3	89	12 x 6	323.8	168.3	203
88.9	48.3	89	12 x 5	323.8	141.3	203
88.9	42.2	89	14 X 12	355.6	323.8	330
101.6	88.9 .	102	14 X 10	355.6	273	330
101.6	73	102	14 X 8	355.6	219.1	330
101.6	60.3	102	14 X 6	355.6	168.3	330
101.6	48.3	102	16 x 14	406.4	355.6	356
101.6	42.2	102	16 x 12	406.4	323.8	356
114.3	101.6	102	16 x 10	406.4	273	356
1143	88.9	102	16 x 8	406.4	219.1	356
114.3	73	102	18 x 16	457	406.4	381
114.3	60.3	102	18 x 14'	457	355.6	381
114.3	48.3	102	18 x 12	457	323.8	381
	73 88.9 88.9 88.9 101.6 101.6 101.6 101.6 114.3 114.3 114.3	73 33.4 88.9 73 88.9 60.3 88.9 48.3 88.9 42.2 101.6 88.9. 101.6 60.3 101.6 48.3 101.6 42.2 114.3 101.6 1143 88.9 114.3 73 114.3 60.3	73 33.4 89 88.9 73 89 88.9 60.3 89 88.9 48.3 89 88.9 42.2 89 101.6 88.9 102 101.6 60.3 102 101.6 48.3 102 101.6 42.2 102 114.3 101.6 102 114.3 88.9 102 114.3 73 102 114.3 73 102 114.3 60.3 102	73 33.4 89 12 x 10 88.9 73 89 12 x 8 88.9 60.3 89 12 x 6 88.9 48.3 89 12 x 5 88.9 42.2 89 14 X 12 101.6 88.9 102 14 X 10 101.6 73 102 14 X 6 101.6 60.3 102 14 X 6 101.6 48.3 102 16 x 14 101.6 42.2 102 16 x 12 114.3 101.6 102 16 x 10 114.3 88.9 102 16 x 8 114.3 73 102 18 x 16 114.3 60.3 102 18 x 14	73 33.4 89 12 x 10 323.8 88.9 73 89 12 x 8 323.8 88.9 60.3 89 12 x 6 323.8 88.9 48.3 89 12 x 5 323.8 88.9 42.2 89 14 X 12 355.6 101.6 88.9 102 14 X 8 355.6 101.6 73 102 14 X 6 355.6 101.6 60.3 102 14 X 6 355.6 101.6 48.3 102 16 x 14 406.4 101.6 42.2 102 16 x 12 406.4 114.3 101.6 102 16 x 10 406.4 114.3 88.9 102 16 x 8 406.4 114.3 73 102 18 x 16 457 114.3 60.3 102 18 x 14' 457	73 33.4 89 12 x 10 323.8 273 88.9 73 89 12 x 8 323.8 219.1 88.9 60.3 89 12 x 6 323.8 168.3 88.9 48.3 89 12 x 5 323.8 141.3 88.9 42.2 89 14 X 12 355.6 323.8 101.6 73 102 14 X 8 355.6 273 101.6 60.3 102 14 X 6 355.6 219.1 101.6 48.3 102 16 x 14 406.4 355.6 101.6 42.2 102 16 x 12 406.4 323.8 114.3 101.6 102 16 x 10 406.4 273 1143 88.9 102 16 x 8 406.4 219.1 114.3 73 102 18 x 16 457 406.4 114.3 60.3 102 18 x 14' 457 355.6



Wenzhou Zheheng Steel Industry Co.,Ltd







No999 .wenzhou airport wenzhou city,zhejiang china