

# 2600mm ASTM304 Seamless Stainless Steel Pipe 304 Grade For Decoration

### **Basic Information**

Place of Origin: Wenzhou, China
Brand Name: ZHE HENG
Certification: ISO9001, CE BV
Model Number: ASTM304
Minimum Order Quantity: 500 kg

• Price: \$1000-4200/Ton

Packaging Details: As to clients' requirements Wooden

Cases Bundle Packin

Delivery Time: 30-45 work days
Payment Terms: L/C, T/T, D/P, D/A

Supply Ability: 1000+



# **Product Specification**

Term Name: Stainless Steel Pipe

Material Grade: ASTM304

• Shape: Curved Pipe, Square Pipe, Rectangular Pipe

Technique: Cold Rolled,PicklingLength: 2600mm Or 16000mm

• Size: As Per Requirement O.D 0.3~2.0mm

Welding Line Type: Seamless, Welded

Package: As To Clients' Requirements Bundle

Packing Wooden Cases

Highlight: Stainless Pipe 2600mm,

ASMT204 Stainless Steel Pipe

ASMT304 Stainless Steel Pipe,

Pickling Stainless Steel Pipe For Decoration



# **Product Description**

# **Product Description**

Zheheng steel is one incorporate of manufacturer, Exporter ,consultant ,stockist company specialized in the area of stainless steel tubing , pipe fittings ,Flanges and other stainless steel grade accessories . It is one-stop-shop company ,our team have more than 20 years experience in stainless steel field ,especially in heat exchanger tubing and large diameter pipes with ultra-long, ultra-thin, ultra-thick or ultra-large various and some special-purpose projects .

#### Specification:

Outside Diameter	OD 0.28-1219mm
Thickness	0.08-100mm
Seamless Stainless Steel Pipes	1/8"NB to 32"NB IN
Production Process	Cold Drawn,Bright Anneal.etc
Туре	Seamless,welded
Surface	Pickling,Bright
Price Item	EXW,FOB,CNF,CIF etc
Application	It is often used as a car frame and exhaust pipe to produce a variety of conventional weapons, gun barrels and shells.
Ends:	Beveled or plain end, square cut, burr free

#### Stainless Steel Seamless Pipe Chemical Component:

Chemical Composition about stainless steel pipe									
Grade	C ≤	Si ≤	Mn≤	P≤	S≤	Ni ≤	Cr≤		
304	0.08	1	2	0.045	0.03	11() ()()-14 ()()	16.00- 18.00		
304L	0.035	0.75	2	0.045	0.03	17() ()()-15()()	16.00- 18.00		

## Size table:

Seamless stainless steel pipes

					AINLES						(ASM			,	
DNm m	DNi n	φm m	SCH 5S	SCH1 0S	SCH4 0S	ST D	Sch4 0	Sch6 0	Sch8 0s	xs		Sch1 20	Sch14 0	Sch16	XXS
6	1/8	10.3		1.24	1.73	1.7 3	1./3		2.41	2.41	2.41				
8	1/4	13.7		1.65			2.24		3.02	3.02	3.02				
10	3/8	17.1		1.65			2.31		3.2	3.2	3.2				
15	1/2	21.3	1.65	2.11		1.	2.77		3.73	3.73	3.73			4.78	7.47
20	3/4	26.7	1.65	2.11	ı	١,	2.87		3.91	3.91	3.91			5.56	7.82
25	1	33.4	1.65	2.77			3.38		4.55	4.55	4.55			6.35	9.09
32	1 1/4	42.2	1.65	2.77			3.56		4.85	4.85	4.85			6.35	9.7
40	1 1/2	48.3	1.65	2.77			3.68		5.08	5.08	5.08			7.14	10.1 5
50	2	60.3	1.65	2.77	ı		3.91		5.54	5.54	5.54			8.74	11.0 7
65	2 1/2	76	2.11	3.05	5.16	5.1 6	5.16		7.01	7.01	7.01			9.53	14.0 2

					,									
3	1		3.05	5.49	Ν.			7.62	7.62	7.62			11.13	15.2 4
3 1/2			3.05	5.74	1.			8.08	8.08	8.08				
4			3.05	6.02				8.56	8.56	8.56	11.13		13.49	17.1 2
5	١~		3.4	6.55	1			9.53	9.53	9.53	12.7		15.88	19.0 5
6			3.4	7.11	1.			10.97	10.9 7	10.9 7	14.27		18.26	21.9 5
8	219. 1	2.77	3.76	8.18	8.1 8	8.18	10.3 1	12.7	12.7	12.7	18.26	20.62	23.01	22.2 3
10	273	3.4	4.19	9.27	9.2 7	9.27	12.7	12.7	12.7	15.0 9	21.44	25.4	28.58	25.4
12	P		4.57	9.53	9.5 3	10.3 1	14.2 7	12.7	12.7	17.4 8	25.4	28.58	33.32	25.4
14	355. 6	3.96	4.78		9.5 3	l	15.0 9		12.7	19.0 5	27.79	31.75	35.71	
16	406. 4	4.19	4.78		9.5 3	12.7	16.6 6		12.7	21.4 4	30.96	36.53	40.49	
18	457	4.19	4.78		9.5 3	14.2 7	19.0 5		12.7	23.8 3	34.93	39.67	45.24	
20	508	4.78	5.54		9.5 3	15.0 9	20.6 2		12.7	26.1 9	38.1	44.45	50.01	
22	559	4.78	5.54		9.5 3		22.2 3		1	l8	l	47.63	53.98	
24	610	5.54	6.35		9.5 3	17.4 8	24.6 1		12.7	30.9 6	46.02	52.37	59.54	
26	660				9.5 3				12.7					
28	711				9.5 3				12.7					
30	762	6.35	7.92		9.5 3				12.7					
32	813					17.4 8			12.7					
	3 1/2 4 5 6 8 10 12 14 16 18 20 22 24 26 28 30	3 101. 1/2 6 4 114. 3 5 141. 3 6 168. 3 8 219. 10 273 12 323. 14 355. 6 16 406. 4 18 457 20 508 22 559 24 610 26 660 28 711 30 762	3 101. 2.11 4 114. 2.11 5 141. 2.77 6 168. 2.77 8 219. 2.77 10 273 3.4 12 323. 3.96 14 355. 3.96 14 406. 4.19 18 457 4.19 20 508 4.78 22 559 4.78 24 610 5.54 26 660 28 711 30 762 6.35	3 101. 2.11 3.05 4 114. 2.11 3.05 5 141. 2.77 3.4 6 168. 2.77 3.4 8 219. 2.77 3.76 10 273 3.4 4.19 12 323. 3.96 4.57 14 355. 3.96 4.78 16 406. 4.19 4.78 18 457 4.19 4.78 20 508 4.78 5.54 22 559 4.78 5.54 24 610 5.54 6.35 26 660 28 711 30 762 6.35 7.92	3	3       101. 2.11       3.05       5.74       5.74         4       314. 2.11       3.05       6.02       2.2         5       341. 2.77       3.4       6.55       5.5         6       368. 2.77       3.4       7.11       7.1         8       219. 2.77       3.76       8.18       8.1         10       273       3.4       4.19       9.27       7         12       323. 3.96       4.57       9.53       9.5         14       355. 3.96       4.78       9.5       3         16       406. 4.19       4.78       9.5         18       457       4.19       4.78       9.5         20       508       4.78       5.54       9.5         22       559       4.78       5.54       9.5         24       610       5.54       6.35       9.5         26       660       9.5       3         28       711       9.5       3         30       762       6.35       7.92       9.5         31       9.5       3	3       101. 2.11       3.05       5.74       5.7       4.7       5.74         4       31.4. 2.11       3.05       6.02       6.0       6.02       6.0       6.02       6.0       6.02       6.0       6.0       6.0       6.0       6.0       6.5       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18       8.18	31/2       101.       2.11       3.05       5.74       5.7       5.74         4       114.       2.11       3.05       6.02       6.0       6.02         5       141.       2.77       3.4       6.55       6.5       6.55         6       168.       2.77       3.4       7.11       7.1       7.11         8       219.       2.77       3.76       8.18       8.1       8.18       10.3         10       273       3.4       4.19       9.27       9.2       9.27       12.7         12       323.       3.96       4.57       9.53       9.5       10.3       14.2         14       655.       3.96       4.78       9.5       11.1       15.0         16       406.       4.19       4.78       9.5       12.7       16.6         18       457       4.19       4.78       9.5       15.0       20.6         20       508       4.78       5.54       9.5       15.0       20.6         22       559       4.78       5.54       9.5       17.4       24.6         26       660       9.5       3       9.5	3       101. 2.11       3.05       5.74       5.7 4 4       8.08         4       314. 2.11       3.05       6.02       6.0 6.02       8.56         5       341. 2.77       3.4       6.55       6.5 6.5 6.5 6.5       9.53         6       368. 2.77       3.4       7.11       7.1 7.11       10.97         8       219. 2.77       3.76       8.18       8.18 8.18 10.3 12.7       12.7         10       273       3.4       4.19       9.27       9.27 9.27 12.7 12.7       12.7         12       323. 3.96       4.57       9.53       9.5 10.3 14.2 12.7 7.7       12.7         14       355. 3.96       4.78       9.5 11.1 15.0 3.9 9.5 12.7 6.6 6.6       16.6 6.6         18       457       4.19       4.78       9.5 14.2 19.0 7.5 5.0 9.5 15.0 20.6 9.5 7.5 5.0 9.5 15.0 20.6 9.2 9.5 15.0 20.6 9.2 9.5 15.0 20.6 9.2 9.5 15.0 20.6 9.2 9.5 15.0 20.6 9.2 9.5 15.0 20.6 9.5 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 15.0 20.6 9.5 9.5 9.5 15.0 20.6 9.5 9.5 9.5 15.0 20.6 9.5 9.5	3       101. 2.11       3.05       5.74       5.7 5.74       8.08       8.08         4       31.4. 2.11       3.05       6.02       6.0 6.02       8.56       8.56         5       31. 2.77       3.4       6.55       6.5 6.5 6.5       9.53       9.53         6       368. 2.77       3.4       7.11       7.1 7.11       10.97       7         8       219. 2.77       3.76       8.18       8.1 8.18 10.3 12.7 12.7 12.7       12.7 12.7         10       273       3.4       4.19       9.27       9.2 9.27 12.7 12.7 12.7 12.7       12.7 12.7 12.7         12       323. 3.96       4.57       9.53       9.5 10.3 14.2 12.7 12.7 12.7 12.7       12.7 12.7 12.7 12.7 12.7 12.7 12.7 12.7	3       101. 2.11       3.05       5.74       5.7 4 4 5.7 5.74       8.08       8	3 1/2 6       101. 2.11       3.05       5.74       5.74 4 4 7 5.74       8.08       8.08       8.08       8.08         4 114. 3.11       3.05       6.02 2 6.02       8.56       8.56       8.56       11.13         5 141. 2.77       3.4       6.55       5.5 6.5       9.53       9.53       9.53       12.7         6 168. 2.77       3.4       7.11 7.11 1 10.97 7.77       10.9 10.9 10.9 7.77       14.27         8 219. 2.77 3.76       8.18 8.18 8.18 10.3 12.7 12.7 12.7 12.7 12.7 12.7 13.26       10.27 3.4 4.19 9.27 7.2 9.27 12.7 12.7 12.7 12.7 12.7 15.0 21.44       12.7 12.7 15.0 21.44         10 273 3.4 4.19 9.27 9.53 3.11.1 15.0 3 14.2 12.7 12.7 15.0 27.79       9.53 11.1 15.0 3 12.7 12.7 12.7 17.4 25.4       25.4         14 66. 406. 4.19 4.78 3.3 3 9.5 12.7 16.6 6 12.7 21.4 30.96       12.7 19.0 27.79       27.79         16 406. 4.19 4.78 3.7 9.5 15.0 20.6 9 2.0 12.7 23.8 34.93       34.93         20 508 4.78 5.54 3.9 5 15.0 20.6 9 2.0 12.7 28.5 8       12.7 28.5 8       41.28         24 610 5.54 6.35 3.9 7.92 3.5 3. 17.4 12.7 12.7 12.7 12.7 12.7 12.7 12.7 12.7	31/2       101       2.11       3.05       5.74       5.74       8.08       8.08       8.08       8.08         4       114.       2.11       3.05       6.02       6.0       6.02       8.56       8.56       8.56       11.13         5       141.       2.77       3.4       6.55       6.5       6.55       9.53       9.53       9.53       12.7         6       168.       2.77       3.4       7.11       7.11       7.11       10.97       10.91       10.91       10.91       14.27         8       219.       2.77       3.76       8.18       8.18       8.18       10.3       12.7       12.7       12.7       18.26       20.62         10       273       3.4       4.19       9.27       9.27       12.7       12.7       12.7       12.7       18.26       20.62         12       323.       3.96       4.57       9.53       9.5       10.3       14.2       12.7       12.7       19.0       21.44       25.4       28.58         14       355.       3.96       4.78       9.5       12.7       15.0       12.7       19.0       27.79       31.75	3 1/2 6       101. 2.11       3.05       5.74       5.74       8.08       8.08       8.08       8.08       1.13       13.49         4 114. 2.11       3.05       6.02       6.02       8.56       8.56       8.56       11.13       13.49         5 141. 2.77       3.4       6.55       6.5       6.55       9.53       9.53       9.53       12.7       15.88         6 168. 2.77       3.4       7.11       7.1       7.11       10.97       7.7       7       14.27       18.26         8 219. 2.77       3.76       8.18       8.18       8.18       1.3       12.7       12.7       18.26       20.62       23.01         10 273       3.4       4.19       9.27       7.2       9.27       12.7       12.7       12.7       18.26       20.62       23.01         10 273       3.4       4.19       9.27       7.2       9.27       12.7       12.7       12.7       18.26       20.62       23.01         10 273       3.4       4.19       9.27       7.2       9.27       12.7       12.7       12.7       17.4       25.4       28.58       33.32         12 3       3.96       4.78 <t< td=""></t<>

Conforms to ANSI B36.19 and ANSI B36.10 standards





# FAQ:

- Q: Are you a manufacturer or merely a trader?
- A: We are group of companies and owned manufacturer bases and trading company. We specialized in special steel which include alloy structural steel and carbon steel and stainless steel, etc. All material are with high quality and competitive price.
- Q: How do you guarantee the quality of your product?
- A: Firstly, we can provide the certificates from the third party, such as TUV, CE, if you need. Secondly, we have a complete set of inspection system and every process is checked by QC. Quality is the lifeline of enterprise survival. Q: Delivery time?
- A: We have ready stock for most of material grades in our warehouse. If the material don't have stock, the delivery lead time is about 5-30 days after receiving your prepayment or firm order.
- Q: What is the payment term?
- A: T/T or L/C.
- Q: Can you provide a sample for our testing before confirm the order?
- A: Yes. We can provide sample to you for approval before you place an order to us. Free sample is available if we have stock.
- Q: Can we visit your company and factory?
- A: Yes, warmly welcome! We can book the hotel for you before you come to China and arrange our driver to our airport to pick you up when you come.



Wenzhou Zheheng Steel Industry Co.,Ltd



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china