

ASTM Stainless Steel Water Pipe Sus304 310 304 316 1 Inch

Basic Information

Model Number:

Place of Origin: Wenzhou,China
 Brand Name: ZHE HENG
 Certification: BV, PED, ISO9001

• Minimum Order Quantity: 500 kg

• Price: \$1000-4200/Ton

Packaging Details: As to clients' requirements Wooden

Cases Bundle Packin

ASMT316,ASMT316L

Delivery Time: 30-45 work days
Payment Terms: L/C, T/T, D/P, D/A

• Supply Ability: 1000+



Product Specification

• Term Name: Stainless Seamless Steel Pipe

Material Grade: ASMT316,ASMT316L

• Shape: Rounde Pipe, Square Pipe, Rectangular Pipe

Technique: Cold Rolled,Pickling
Length: 2300mm Or 13000mm
Size: As Per Requirement
Welding Line Type: Seamless,Welded

Highlight: ASTM Stainless Steel Water Pipe,

1Inch Stainless Steel Water Pipe, Sus304 Stainless Water Pipe



Product Description

Product Description

"Quality and quantity asssured"

- Welecome know more about our company.

 1.10+rich experience in stainless steel pipes,coil,duplex steel pipes,fittings and all kinds of bars;

 2.Our factory standard has a number of relevant certificates, such as ISO9001,BV certified

 3.Competive prices with cusomer oriednted

Any questions, pls feel free to let me know and I will reply you in 2 hours;

Looking forward to your reply!

Specification:

<u> </u>	
Outside Diameter	OD 0.28-1219mm
Thickness	0.08-100mm
Seamless Stainless Steel Pipes	1/8"NB to 32"NB IN
Production Process	Cold Drawn,Bright Anneal.etc
Туре	Seamless,welded
Surface	Pickling,Bright
Price Item	EXW,FOB,CNF,CIF etc
Application	Pulp and paper equipment Heat exchangers, dyeing equipment, pipes, materials for the exterior of buildings in coastal areas, etc
Ends:	Beveled or plain end, square cut, burr free

Stainless Steel Seamless Pipe Chemical Component:

Chemical Composition about stainless steel pipe											
Grade	rade $C \le$ $Si \le Mn \le P \le S \le Ni \le$										
316L	0.035	0.75	2	0.045	0.03	110 00-15 00	16.00- 18.00				
316	0.08	1	2	0.045	0.03		16.00- 18.00				

Size table:

Seamless stainless steel pipes

WALL	_ TH	CKN	ESS F		AINLES						(ASM			,	
DNm m	ı		SCH 5S	SCH1 0S	SCH4 0S	ST D	Sch4 0	Sch6 0	Sch8 0s	xs	Sch8 0	Sch1 20	Sch14 0	Sch16 0	xxs
6	1/8	10.3		1.24	1./3	3	1./3		2.41	2.41	2.41				
8	1/4	13.7		1.65	I	T .	2.24	l .	3.02	3.02	3.02				
10	3/8	17.1		1.65			2.31		3.2	3.2	3.2				
15	1/2	21.3	1.65	2.11			2.77		3.73	3.73	3.73			4.78	7.47
20	3/4	26.7	1.65	2.11		1'	2.87		3.91	3.91	3.91			5.56	7.82
25	1	33.4	1.65	2.77			3.38		4.55	4.55	4.55			6.35	9.09
32	1 1/4	42.2	1.65	2.77			3.56		4.85	4.85	4.85			6.35	9.7
40	1 1/2	48.3	1.65	2.77	3.68	3.6 8	3.68		5.08	5.08	5.08				10.1 5

	1					13 a	1							1	11.0
50	2	60.3	1.65	2.77	3.91	1.	3.91		5.54	5.54	5.54			8.74	7
65	2 1/2	76	2.11	3.05	5.16		5.16		7.01	7.01	7.01			9.53	14.0 2
80	3		2.11	3.05	5.49		5.49		7.62	7.62	7.62			11.13	15.2 4
90	3 1/2		2.11	3.05	5.74	1.	5.74		8.08	8.08	8.08				
100	4		2.11	3.05	6.02		6.02		8.56	8.56	8.56	11.13		13.49	17.1 2
125	5		2.77	3.4	6.55		6.55		9.53	9.53	9.53	12.7		15.88	19.0 5
150	6	Ρ .	2.77	3.4	7.11	1.	7.11		10.97	10.9 7	10.9 7	14.27		18.26	21.9 5
200	8	219. 1	2.77	3.76	8.18	Γ	8.18	10.3 1	12.7	12.7	12.7	18.26	20.62	23.01	22.2 3
250	10	273		4.19	9.27		9.27			12.7	15.0 9	21.44	25.4	28.58	25.4
300	12	Ρ	3.96	4.57	9.53	9.5 3	10.3 1	14.2 7	12.7	12.7	17.4 8	25.4	28.58	33.32	25.4
350	14		3.96	4.78		9.5 3	11.1 3	15.0 9		1	15	l .	31.75	35.71	
400	16	406. 4	4.19	4.78		9.5 3	12.7	16.6 6		12.7	21.4 4	30.96	36.53	40.49	
450	18	457	4.19	4.78		9.5 3	14.2 7	19.0 5		1	JJ	34.93	39.67	45.24	
500	20	508	4.78	5.54		9.5 3	15.0 9	20.6 2		12.7	26.1 9	38.1	44.45	50.01	
550	22	559	4.78	5.54		9.5 3		22.2 3		12.7	28.5 8	41.28	47.63	53.98	
600	24	610	5.54	6.35		9.5 3	17.4 8	24.6 1		12.7	30.9 6	46.02	52.37	59.54	
650	26	660				9.5 3				12.7					
700	28	711				9.5 3				12.7					
750	30	762	6.35	7.92		9.5 3				12.7					
800	32	813					17.4 8			12.7					
						1									

Conforms to ANSI B36.19 and ANSI B36.10 standards





FAQ:

- Q: Are you a manufacturer or merely a trader?
- A: We are group of companies and owned manufacturer bases and trading company. We specialized in special steel which include alloy structural steel and carbon steel and stainless steel, etc. All material are with high quality and competitive price.
- Q: How do you guarantee the quality of your product?
- A: Firstly, we can provide the certificates from the third party, such as TUV, CE, if you need. Secondly, we have a complete set of inspection system and every process is checked by QC. Quality is the lifeline of enterprise survival. Q: Delivery time?
- A: We have ready stock for most of material grades in our warehouse. If the material don't have stock, the delivery lead time is about 5-30 days after receiving your prepayment or firm order.
- Q: What is the payment term?
- A: T/T or L/C.
- Q: Can you provide a sample for our testing before confirm the order?
- A: Yes. We can provide sample to you for approval before you place an order to us. Free sample is available if we have stock.
- Q: Can we visit your company and factory?
- A: Yes, warmly welcome! We can book the hotel for you before you come to China and arrange our driver to our airport to pick you up when you come.



Wenzhou Zheheng Steel Industry Co.,Ltd



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china