

2600mm Seamless Stainless Steel Pipe JIS SUS316L Grade For Decoration

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:

ZHE HENG ISO9001,CE BV

Wenzhou, China

- ASTM306L JIS SUS316L
- 500 kg

- Supply Ability:



- L/C, T/T, D/P, D/A
- 1000+



Product Specification

- Term Name:
- Material Grade:
- Shape:
- Technique:
- Length:
- Size:
- Welding Line Type:
- Package:
- Highlight:

- Stainless Steel Pipe ASTM306L JIS SUS316L
- Curved Pipe, Square Pipe, Rectangular Pipe
- Cold Rolled, Pickling
- 1800mm Or 16000mm
- As Per Requirement O.D 0.3~2.0mm
- Seamless,Welded
 - As To Clients' Requirements Bundle Packing Wooden Cases
 - 2600mm Seamless Steel Pipe, JIS SUS316L Seamless Stainless Steel Pipe, SUS316L Steel Pipe





Our Product Introduction

Product Description

Zheheng steel is one incorporate of manufacturer, Exporter ,consultant ,stockist company specialized in the area of stainless steel tubing , pipe fittings ,Flanges and other stainless steel grade accessories .

Overeview:

Good weldability. JIS SUS316L stainless steel has good weldability.

Good temperature resistance. JIS SUS316L stainless steel can withstand higher temperatures and is suitable for manufacturing parts and devices in high temperature environments.

Low thermal expansibility. The thermal expansion coefficient of JIS SUS316L stainless steel is low, and the deformation is small at high temperature, which can maintain the accuracy and dimensional stability of the parts.

Outside Diameter	OD 0.28-1219mm
Thickness	0.08-100mm
Seamless Stainless Steel Pipes	1/8"NB to 32"NB IN
Production Process	Cold Drawn,Bright Anneal.etc
Туре	Seamless,welded
Surface	Pickling,Bright
Price Item	EXW,FOB,CNF,CIF etc
Application	It is often used as a car frame and exhaust pipe to produce a variety of conventional weapons, gun barrel and shells.
Ends:	Beveled or plain end, square cut, burr free

Stainless Steel Seamless Pipe Chemical Component:

Chemical Composition about stainless steel pipe										
Grade	C≤	Si ≤	Mn≤	P≤	S≤	Ni ≤	Cr≤			
JIS SUS316	0.08	1	2	0.045	0.03	10.00-14.00	16.00- 18.00			
JIS SUS316L	0.035	0.75	2	0.045	0.03	10.00-15.00	16.00- 18.00			

Size table: Seamless stainless steel pipes

Coulin															
WALI	WALL THCKNESS FOR STAINLESS STEEL PIPE &T UBE (ASME B36.10 & B36.19)														
DNm m	DNi n	L	SCH 5S	SCH1 0S	SCH4 0S	ST D	Sch4 0	Sch6 0	Sch8 0s	xs	Sch8 0	Sch1 20	Sch14 0	Sch16 0	xxs
6	1/8	10.3		1.24	1.73	1.7 3	1.73		2.41	2.41	2.41				
8	1/4	13.7		1.65			2.24		3.02	3.02	3.02				
10	3/8	17.1		1.65			2.31		3.2	3.2	3.2				
15	1/2	21.3	1.65	2.11			2.77		3.73	3.73	3.73			4.78	7.47
20	3/4	26.7	1.65	2.11		1° .	2.87		3.91	3.91	3.91			5.56	7.82
25	1	33.4	1.65	2.77	3.38	<u>۲</u>	3.38		4.55	4.55	4.55			6.35	9.09
32	1 1/4	42.2	1.65	2.77	3.56	6	3.30		4.85	4.85	4.85			6.35	9.7
40	1 1/2	48.3	1.65	2.77	3.68	3.6 8	3.68		5.08	5.08	5.08			7.14	10.1 5

for more products please visit us on stainless-steelseamlesspipe.com

50	6		1 05	0 77	0.01	3.9	3.91		4		4			0.74	11.0
50	2	60.3	1.65	2.77	3.91	1 ·			5.54	5.54	5.54			8.74	7
65	2 1/2	76	2.11	3.05	5.16		5.16		7.01	7.01	7.01			9.53	14.0 2
80	3		2.11	3.05	5.49		5.49		7.62	7.62	7.62			11.13	15.2 4
90	3 1/2		2.11	3.05	5.74	1.1	5.74		8.08	8.08	8.08				
100	4		2.11	3.05	6.02		6.02		8.56	8.56	8.56	11.13		13.49	17.1 2
125	5	141. 3	2.77	3.4	6.55	6.5 5	6.55		9.53	9.53	9.53	12.7		15.88	19.0 5
150	6	M	2.77	3.4	7.11	11	7.11		10.97	10.9 7	10.9 7	14.27		18.26	21.9 5
200	8	219. 1	2.77	3.76	8.18	<u>۲</u>	8.18	10.3 1	12.7				20.62	23.01	22.2 3
250	10	273	3.4	4.19	9.27	9.2 7	9.27	12.7	12.7	12.7	15.0 9	21.44	25.4	28.58	25.4
300	12	μ	3.96	4.57	9.53	9.5 3	10.3 1	14.2 7	12.7	12.7	17.4 8	25.4	28.58	33.32	25.4
350	14		3.96	4.78		9.5 3	11.1 3	15.0 9		12.7	19.0 5	27.79	31.75	35.71	
400	16	406. 4	4.19	4.78		9.5 3	12.7	16.6 6		12.7	21.4 4	30.96	36.53	40.49	
450	18	457	4.19	4.78		9.5 3	14.2 7	19.0 5			3	1	39.67	45.24	
500	20	508	4.78	5.54		9.5 3	15.0 9	20.6 2		12.7	26.1 9	38.1	44.45	50.01	
550	22	559	4.78	5.54		9.5 3		22.2 3		12.7	28.5 8	41.28	47.63	53.98	
600	24	610	5.54	6.35		9.5 3	17.4 8	24.6 1		12.7	30.9 6	46.02	52.37	59.54	
650	26	660				9.5 3				12.7					
700	28	711				9.5 3				12.7					
750	30	762	6.35	7.92		9.5 3				12.7					
800	32	813					17.4 8			12.7					
	1	1		000 10					·	I		1	1	1	1

Conforms to ANSI B36.19 and ANSI B36.10 standards





FAQ:

Q: Are you a manufacturer or merely a trader?

A: We are group of companies and owned manufacturer bases and trading company. We specialized in special steel which include alloy structural steel and carbon steel and stainless steel, etc. All material are with high quality and competitive price.

Q: How do you guarantee the quality of your product?

A: Firstly, we can provide the certificates from the third party, such as TUV, CE, if you need. Secondly, we have a complete set of inspection system and every process is checked by QC. Quality is the lifeline of enterprise survival. Q: Delivery time?

A: We have ready stock for most of material grades in our warehouse. If the material don't have stock, the delivery lead time is about 5-30 days after receiving your prepayment or firm order.

Q: What is the payment term?

A: T/T or L/C.

Q: Can you provide a sample for our testing before confirm the order?

A: Yes. We can provide sample to you for approval before you place an order to us. Free sample is available if we have stock.

Q: Can we visit your company and factory?

A: Yes, warmly welcome! We can book the hotel for you before you come to China and arrange our driver to our airport to pick you up when you come.

