



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com

UNS S31603 Stainless Steel Welded Pipe Tubing 6mm-2500mm

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com


Basic Information

- Place of Origin: Wenzhou,China
- Brand Name: Zheheng
- Certification: ISO9001
- Model Number: S31603
- Minimum Order Quantity: MOQ 1Ton
- Packaging Details: In wooded cases or pallets,or as for clients requirement
- Delivery Time: 7-15 working days after receiving payment
- Payment Terms: L/C, D/P, T/T, Western Union
- Supply Ability: 1000 Ton/Tons per Month



Product Specification

- Thickness: 1mm-150mm(SCH10-XXS) Or As Required
- OD: 6mm-2500mm (3/8"-100") Or As Required
- Section Shape: Round,Square,rectangular
- Surface Finish: Polishing, Hair Line,Pickling
- Price Terms: FOB,CIF,CFR,EXW
- Length: 1000-12000mm
- Usage: Industry
- Technique: Cold Drawn Or Hot Rolled
- Seamless/Welded: Welded
- Highlight: **UNS S31603 Stainless Steel Pipe,
Stainless steel welded pipe tubing,
Stainless steel pipe tubing 2500mm**



Product Description

Specification

Ends	Plain end
Color	silver
Delivery time	within 45 -60 days.
Payment Terms	40% prepayment Balance before lodaing.
Shipping Terms	FOB NINGBO, after the inspection of goods at supplier's warehouse
Package	Standard export seaworthy package,or as required.

Common Industries

Architecture and Construction
Automotive and Transportation
Medical
Oil and GasFood and Drug

S31603 stainless pipe Chemical Composition

Mo	C ≤	Si ≤	Mn ≤	P ≤	S ≤	Ni ≤	Cr
2.00-3.00	0.03	0.75	2	0.045	0.03	14.00	16.00-18.00

Mechanical Composition

Temper	Annealed		Cold worked (approx. 20%)	
Material:S31603				
Tensile Rm	70	ksi (min)	102-131	ksi (min)
Tensile Rm	485	MPa (min)	700-900	mpa (min)
R.p. 0.2% Yield	27	ksi (min)	73-102	ksi (min)
R.p. 0.2% Yield	182	MPa (min)	500-700	mpa (min)
Elongation (2" or 4D gl)	35	% (min)	40	% (min)


Product Testing

Coating Thk Test
Geometry inspection
Ultrasonic Inspection
Nondestructive Testing
Hydrostatic Testing

Package Process

- 1.with plastic cap to protect both ends
- 2.weaving bag wrapped outside the pipe
- 3.then pack into wooden case.

Image



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd

☎ 15858820108

✉ sales@zhehengsteel.com

🌐 stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china