



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



JIS SUS316L Stainless Steel Welded Pipe With Circular Cross Section

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: Wenzhou, China
- Brand Name: Zheheng
- Certification: ISO9001
- Model Number: SUS316L
- Minimum Order Quantity: MOQ 1Ton
- Packaging Details: In wooded cases or pallets, or as for clients requirement
- Delivery Time: 7-15 working days after receiving payment
- Payment Terms: L/C, D/P, T/T, Western Union
- Supply Ability: 1000 Ton/Tons per Month



Product Specification

- Thickness: 1mm-150mm(SCH10-XXS) Or As Required
- OD: 6mm-2500mm (3/8"-100") Or As Required
- Section Shape: Round, Square, rectangular
- Surface Finish: Polishing, Hair Line, Pickling
- Price Terms: FOB, CIF, CFR, EXW
- Length: 1000-12000mm
- Usage: Industry
- Technique: Cold Drawn Or Hot Rolled
- Seamless/Welded: Welded
- Highlight: **JIS SUS316L Stainless Steel Welded Pipe,
SUS316L Stainless Steel Welded Pipe,
150mm Stainless Welded Pipe**



Product Description**Specification**

Ends	Plain end
Standard	JIS DIN ASTM ASME
Delivery time	within 45 -60 days.
Payment Terms	40% prepayment Balance before lodaing.
Shipping Terms	FOB NINGBO, after the inspection of goods at supplier's warehouse
Package	Standard export seaworthy package,or as required.

Common Industries

Architecture and Construction
 Automotive and Transportation
 Medical
 Oil and GasFood and Drug

SUS316L stainless pipe Chemical Composition

Mo	C ≤	Si ≤	Mn ≤	P ≤	S ≤	Ni ≤	Cr
2.00-3.00	0.03	0.75	2	0.045	0.03	14.00	16.00-18.00

Mechanical Composition

Temper	Annealed		Cold worked (approx. 20%)	
Material:SUS316L				
Tensile Rm	70	ksi (min)	102-131	ksi (min)
Tensile Rm	485	MPa (min)	700-900	mpa (min)
R.p. 0.2% Yield	27	ksi (min)	73-102	ksi (min)
R.p. 0.2% Yield	182	MPa (min)	500-700	mpa (min)
Elongation (2" or 4D gl)	35	% (min)	40	% (min)


Product Testing

Coating Thk Test
 Geometry inspection
 Ultrasonic Inspection
 Nondestructive Testing
 Hydrostatic Testing

Package Process

- 1.with plastic cap to protect both ends
- 2.weaving bag wrapped outside the pipe
- 3.then pack into wooden case.

Image



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd

☎ 15858820108

✉ sales@zhehengsteel.com

🌐 stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china