

EN/DIN 1.4438 Stainless Steel Pipe 630mm With Multifunction

Basic Information

. Place of Origin: Wenzhou, China . Brand Name: Zheheng

ISO9001,SGS,BV · Certification:

Model Number: 1.4438 • Minimum Order Quantity: MOQ500kg

 Packaging Details: In wooded cases or pallets, or as for clients

requirement

. Delivery Time: 7-15 working days after receiving payment

• Payment Terms: L/C, D/P, T/T, Western Union • Supply Ability: 1000 Ton/Tons per Month



Product Specification

Port: Ningbo • OD: Φ6--630mm . Section Shape: Round

Package: Seaworthy Standard Package

FOB,CIF,CFR,EXW • Price Terms:

1-12m Length:

. Technique: Hot Rolling&cold Drawn

Wall Thickness: 1-40mm

• Highlight: DIN 1.4438 Stainless steel pipe,

multifunction Stainless Steel Pipe,

630mm Stainless Steel tube



Product Description

1.4438 stainless steel is widely used in the following applications:

The products have been widely used in such industries as equipment, food, construction, aeronautics, marine engineering, environmental protection and boiler & heatexchanger Etc.petroleum, chemical industry, smeleting, water conservancy, electric power, pharmaceutical machinery, pulp&paper,heat preservation, refrigeration, machinery equipment, food, construction, aeronautics, marine engineering, environmental protection and boiler & heatexchanger Etc.

1.4438 Stainless Pipe Chemical Composition

N 0.10 C 0.03 Mn 2 P 0.045 S 0.03 Si 0.75 Cr 18.0-20.0 Ni 11-15 Mo 3.0-4.0				
Mn 2 P 0.045 S 0.03 Si 0.75 Cr 18.0-20.0 Ni 11-15	N	0.10		
P 0.045 S 0.03 Si 0.75 Cr 18.0-20.0 Ni 11-15	С	0.03		
S 0.03 Si 0.75 Cr 18.0-20.0 Ni 11-15	Mn	2		
Si 0.75 Cr 18.0-20.0 Ni 11-15	Р	0.045		
Cr 18.0-20.0 Ni 11-15	S	0.03		
Ni 11-15	Si	0.75		
	Cr	18.0-20.0		
Mo 3.0-4.0	Ni	11-15		
l l	Mo	3.0-4.0		

Mechanical Properties Stainless Steel

Materi	Ultimate Tensile	0.2%Yield Strength	%Elongation	Rockwell B
al	Strength(Mpa)	(Mpa)	in2"	Hardness
1.4438	515	205	40	95

Product Testing

Hydrostatic test Flaw detection test Lab test

Package Process

1.with plastic cap to protect both ends 2.weaving bag wrapped outside the pipe

3.then pack into wooden case.

Image





Wenzhou Zheheng Steel Industry Co.,Ltd





