

GB JIS DIN EN Stainless Steel Pipes And Tubes Industry 310 Heat Exchangers

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: Negotiable
- Price:
- · Packaging Details:

- Delivery Time:
- Payment Terms:
- Supply Ability:
- wooden crate packing 30DAYS L/C, T/T, D/A, D/P

China

iso9001 88.9mm

Negotiable

50TONS/30DAYS

Zheheng Steel



Product Specification

- Material:
- Standard:

• SIZE: • Technique:

TP310

- · Application: • Package:
- Highlight:

ASTM, GB, JIS, DIN, EN, AISI	
SCH80	
Cold Draw	
Heat Exchangers	
Woven Packing	

In bundles with waterproof material,or

JIS DIN Stainless Steel Pipes, 310 Stainless Steel Seamless Pipe, SCH80 Stainless Seamless Pipe



Our Product Introduction

GB JIS DIN EN Stainless Steel Pipes And Tubes Industry 310 Cold Drawn Steel Pipe

Products description:

Great ductility, weldability, and high-temperature properties make 310 Stainless Steel the ideal choice for projects that require service at temperatures up to 1150 degrees Celsius. Grade 310 resists oxidation and is also used at temperatures up to 1040 degrees Celsius intermittently. Similar to other austenitic steel grades, toughness down to cryogenic temperatures is another feature of 310.

Applications:

Versatile and useful in many areas, 310 Stainless Steel is often found in furnace parts, heat exchangers, welding filler wire, oil burner parts, and general heat treatment.

description for our production range:

Standard : ASTM, GB, JIS, DIN, EN, AISI Material Grade :TP310 TP310S Outer Diameter : Seamless Pipe: 4mm-812.80mm Welded Pipe: single slit(Φ8mm-Φ630mm); girth(Φ630mm-Φ3000mm), Thickness : Seamless Pipe: 0.5mm - 60mm Welded Pipe: single slit(0.5mm-25mm);girth(3mm-45mm) Length : 5.8-6.1 m or as customers' request Tolerance : Acording to the Standard. Surface : 180G, 320G, 400G Satin / Hairline 400G, 500G, 600G or 800G Mirror finish Test : UT, ET, HT, RT,ect, and others according to the standard,or as the requests of the customers Certificate : ISO9001-2008,ASME, PED Delivery Time : 30-60Days, Depends on quantity

Chemical Properties of SS UNS S31603 Rectangular Pipe

	SS 310	SS 310S	
Ni	19 – 22	19 – 22	
Cr	24 – 26	24 – 26	
С	0.25 max	0.08 max	
Fe	Balance		
Mn	2 max	2 max	
Si	1.50 max	1.50 max	
S	0.03 max	0.03 max	
Р	0.045 max	0.045 max	

About us:

zheheng steel is approved by zheiang government to carry out import and export trading company. Is located in the beautiful coast of the wenzhou, distribution and high quality steel products for export. Operating varieties include all kinds of stainless steel seamless pipe, plate, wire rod, pipe fittings and other series products.

our products packing:

Production Range:	
	TP304,TP304L,TP304H,TP304N,
Austenitic Steel:	TP310S,TP316,TP316L,TP316Ti,TP316H,
	TP317,TP317L, TP321, TP321H,TP347, TP347H,904L
Duplex Steel :	S32101,S32205,S31803,S32304,S32750,S32760
	Others:TP405,TP409, TP410, TP430, TP439

Our service& advantages

Q	What is our product range?	
A	Based on our Stainless Steel seamless pipe factory, We supply the ONE-STOP service fittings,flanges, valves etc	
Q	What is our advantages?	
A	1.ZHEHENG STEEL has more than 10 years experience in this industry.	
	2.For each order, strict QC will be carried by the QC department before Shipping	
	3.Certificated by ISO,PED,TUV	

