

CHINA

iso9001

88.9mm

Negotiable

30 DAYS

wooden crate packing

L/C, T/T, D/A, D/P 50TONS/30DAYS

zheheng steel

TP 304 Seamless Stainless Tube Sch40 Used In Furniture Decoration Industry

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: Negotiable
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Material:
- Standard:Shape:

Technique:Purpose:

• Package:

• Highlight:

• Application:

Tp 304 ASTM, GB, JIS, DIN, EN, AISI Sch40 Cold-drawn

In bundles with waterproof material,or

- Pipeline Transport, Boiler Pipe, Hydraulic/Automobile Pipe
- Woven Packing
- Furniture Decoration Industry
 - TP 304 Seamless Stainless Tube, Sch40 Seamless Stainless Pipe, Seamless Stainless Boiler Pipe



ASTM TP 304 Seamless Stainless Tube Sch40 used in furniture decoration industry

304 stainless steel is a common material in stainless steel, the density of 7.93g /cm³; Also known in the industry as 18/8 stainless steel, meaning containing more than 18% chromium and more than 8% nickel; High temperature resistance 800°C, has the characteristics of good processing performance, high toughness, widely used in industrial and furniture decoration industry and food and medical industry. But it needs to be noted that food grade 304 stainless steel compared with ordinary 304 stainless steel, its content index is more strict. For example: basically the international definition of 304 stainless steel is mainly chromium 18%-20% nickel 8%-10%, but food grade 304 stainless steel is chromium 18% and nickel 8%.

Description for our production range:

Name :Stainless Steel seamless Pipe Standard :EN10216-5 , EN10216-2, DIN 17456 , DIN 17458, ASTM A312, A213, A269, A511, A789, A790 ETC, GOST 9941 , GOST 5632, JIS G3459 , JIS G3463, GB/T14975, GB/T14975, GB13296, GB5310, GB9948

Material Grade :

TP304/304L,TP316/316L,TP347/347H, TP321/321H, TP310/310S,TP317/317L TP410 TP410S TP403 S31803,S32205,S32750 Diameter :OD: 6-830mm W.T: 0.6mm - 60mm Length :Up to 13 meter or as customers' request Tolerance :According to the Standard. Surface : Natural Color of annealing & pickling, 180G, 320G, 400G Satin / Hairline 400G, 500G, 600G or 800G Mirror finish Test : UT, ET, HT, RT,ect, and others according to the standard, or as the requests of the customer

our products packing:



APPLICATIONS FIELD :

Industry	Applications	Industry	Applications
Chemical	Heat Exchanger,Boiler	Sugar	Evaporators, Condensers, Driers
Petrochemic als	Condensers	Automobiles	Muffler Tubes Hydraulic Tubing
Refineries	General Piping	Construction	Architectural Furniture
Fertilizers	Pressure Vessels	Pharmaceuticals, Dairy, Food & Beverages	Machineries Process Piping
Paper & Pulp	Industrial Equipments	Submersible Pumps	Pump Casing Applications
Engineering	Machineries Instrumentation Tubing		

other supplement:

1.A999/A999M: Each pipe shall be subjected to the nondestructive electric test or the hydrostatic test, the pipe of test to be used shall be at the option of the mfg, unless otherwise specified in the PO.

2. The Pipe lengths : Unless otherwise agreed upon, all size from NPS 1/8" TO AND INCLUDING nps 8 are available in a length up to 24ft with the permitted range of 15 to 24 ft. Short length are acceptable and the number and min, length shall be agreed upon between mfg and purchaser.

3. The finished pipe shall be reasonably straight and shall have workmanlike finish, Removal of imperfections by grinding is permitted, provided the W.T are not decreased to the less than the permitted in Section 9 of Specification A999/A999M

4. Butt Weld End: According to ANSI B 16.25

5. Pipe Marking: Specified in A999/999M, include "Logo+Standard+SIZE+Heat No.+Lot No.+H.T/E.T/U.T"

6. Packing: Each Pipe end is protected by Plastic cap. Then packed by Anti-rust steel strip, The outside of the bundle is plastic woven bag, or Plastic film.

7. Packing Mark: SIZE + STEEL GRADE+ QTY OF PIECE/WEIGHT/METRE.

8.MTC: BWSS Official Original MTC paper will be supplied for each order.

OUR CONTACT :

Welcome to contact for more details.	
Contact Person	Mr SHEN
MAIL	sales@zhehengsteel.com
Skype	shenbain

	ZHEHENG STEEL Wenzhou Zheheng Steel Industry Co.,Ltd				
Q	15858820108	sales@zhehengsteel.com	© stainless-steelseamlesspipe.com		
No999 .wenzhou airport wenzhou city,zhejiang china					