

CHINA

iso9001 88.9mm

30 DAYS

L/C, T/T, D/A, D/P 50TONS/30DAYS

zheheng steel

DIN EN 1.4404 Stainless Steel Seamless Tube 6-830mm Hot Finish Used In Construction

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:

- Negotiable Negotiable In bundles with waterproof material,or
- wooden crate packing
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- 1.4404 • Material: Standard: DIN, EN Sch80 SIZE: Cold-drawn • Technique: • Purpose: **Chemical Processing** Woven Packing • Package: • OD: 6-830mm
 - Highlight:

1.4404 Stainless Steel Seamless Tube, Hot Finish Stainless Steel Seamless Tube, 830mm Stainless Steel Pipe Tube



Our Product Introduction

DIN EN 1.4404 Stainless Steel Tube hot finish used in Construction, construction

Steel grade 1.4404 (also known as ASTM 316/316L and /SS2348) is a stainless steel "acid-proof" steel that is easy to work. The steel has improved machinability and is suitable for processing to produce corrosion-resistant products. 1.4404 has very good corrosion resistance and is therefore very useful in a wide range of fields.

It has increased resistance to pit and crevice corrosion in environments containing luides. It is non-magnetic, but may become slightly magnetic after cold work and welding.

1.4404 can be easily welded by various traditional welding methods. It cannot be hardened by heat treatment, but can be hardened by cold work. The steel is easy to process and has good machinability.

Applications:

Construction, construction, processing industry, reinforcement, easy welding and machining

Description for our production range:

Name :Stainless Steel seamless Pipe Standard :EN10216-5 , EN10216-2, DIN 17456 , DIN 17458, ASTM A312, A213, A269, A511, A789, A790 ETC, GOST 9941 , GOST 5632, JIS G3459 , JIS G3463, GB/T14975, GB/T14975, GB13296, GB5310, GB9948

Material Grade :

EN 1.4404 Diameter :OD: 6-830mm W.T: 0.6mm - 60mm Length :Up to 13 meter or as customers' request Tolerance :According to the Standard. Surface : Natural Color of annealing & pickling, 180G, 320G, 400G Satin / Hairline 400G, 500G, 600G or 800G Mirror finish Test : UT, ET, HT, RT,ect, and others according to the standard, or as the requests of the customer

Chemical Composition

		Chemical Composition, %								
Count ry (Regi on)	Standard	Steel Grade (Steel Number)	C, ≤	Si, ≤	Mn, ≤	Ρ, ≤	S, ≤	Cr	Ni	Мо
Europ ean Union	EN 10216	X2CrNiMo17-12- 2 (1.4404)	0,030	1,00	2,00	0,040	0,015	16,5- 18,5	10,0- 13,0	2.0-2.5

ur products packing:



used shall be at the option of the mfg, unless otherwise specified in the PO.

2. The Pipe lengths : Unless otherwise agreed upon, all size from NPS 1/8" TO AND INCLUDING nps 8 are available in a length up to 24ft with the permitted range of 15 to 24 ft. Short length are acceptable and the number and min, length shall be agreed upon between mfg and purchaser.

3. The finished pipe shall be reasonably straight and shall have workmanlike finish, Removal of imperfections by grinding is permitted, provided the W.T are not decreased to the less than the permitted in Section 9 of Specification A999/A999M 4. Butt Weld End: According to ANSI B 16.25

5. Pipe Marking: Specified in A999/999M, include "Logo+Standard+SIZE+Heat No.+Lot No.+H.T/E.T/U.T"

6. Packing: Each Pipe end is protected by Plastic cap. Then packed by Anti-rust steel strip, The outside of the bundle is plastic woven bag, or Plastic film.

7. Packing Mark: SIZE + STEEL GRADE+ QTY OF PIECE/WEIGHT/METRE.

8.MTC: BWSS Official Original MTC paper will be supplied for each order.

	THEHE	ENG STEEL	Wenzhou Zheheng Steel Industry Co.,Ltd						
C	15858820108	0	sales@zhehengsteel.com	e	stainless-steelseamlesspipe.com				
No999 .wenzhou airport wenzhou city,zhejiang china									