



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com




DIN EN 1.4401 Stainless Steel Tube SCH80S Good Appearance Gloss Of Cold-Rolled

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com


Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng steel
- Certification: iso9001
- Model Number: 88.9mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: 1.4401
- Standard: DIN, EN
- SIZE: SCH80S
- Technique: Cold-drawn
- Advantage: Good Pitting Resistance
- Package: Woven Packing
- OD: 6-830mm
- Highlight: cold-rolled Stainless Steel Seamless Pipe, EN 1.4401 Stainless Steel Tube, SCH80S Stainless Steel Tube



Product Description

DIN EN 1.4401 Stainless Steel Tube SCH80S Good appearance gloss of cold-rolled products

1.4401 (S31608) is a stainless steel material with excellent corrosion resistance, compared with 304 stainless steel, has better corrosion resistance in seawater and various other media. Because the molybdenum element is added to 1.4401, it has good resistance to reducing media and pitting corrosion. In addition, 1.4401 also has good creep strength.

Basic features:

- 1) Good appearance gloss of cold-rolled products;
- 2) Due to the addition of Mo(2~3%), corrosion resistance, especially excellent pitting resistance
- 3) High temperature resistance
- 4) Excellent work hardening (weak magnetism after processing)
- 5) Solid solution state non-magnetic
- 6) Good welding performance. All standard welding methods can be used for welding. When welding, 316Cb, 316L or 309Cb stainless steel filler rods or welding rods can be used according to the use. In order to obtain the best corrosion resistance, the welded section of 316 stainless steel needs to be annealed after welding. If 316L stainless steel is used, post-welding annealing is not required.

Description for our production range:

Name :Stainless Steel seamless Pipe

Standard :EN10216-5 , EN10216-2,DIN 17456 , DIN 17458,ASTM A312, A213, A269, A511, A789, A790 ETC,GOST 9941 , GOST 5632, JIS G3459 , JIS G3463,GB/T14975,GB/T14975, GB13296, GB5310, GB9948

Material Grade :

EN 1.4401

Diameter :OD: 6-830mm

W.T : 0.6mm - 60mm

Length :Up to 13 meter or as customers' request

Tolerance :According to the Standard.

Surface :

Natural Color of annealing & pickling, 180G, 320G, 400G Satin / Hairline
400G, 500G, 600G or 800G Mirror finish

Test :

UT, ET, HT, RT,ect, and others according to the standard,
or as the requests of the customer

Chemical Composition

Chemical Composition, %													
Country (Region)	Standard	Steel Grade (Steel Number)		C, ≤	Si, ≤	Mn, ≤	P, ≤	S, ≤	Cr	Ni	Mo	Mn	N
European Union	EN 10216-5	X5CrNiMo17-12-2 (1.4401)	MIN						16.5	10	2	6	
			MAX	0.07	1	2	0.04	0.015	18.5	13	2.50	7.00	0.11

our products packing:



other supplement:

- 1.A999/A999M: Each pipe shall be subjected to the nondestructive electric test or the hydrostatic test, the pipe of test to be used shall be at the option of the mfg, unless otherwise specified in the PO.
2. The Pipe lengths : Unless otherwise agreed upon, all size from NPS 1/8" TO AND INCLUDING nps 8 are available in a length up to 24ft with the permitted range of 15 to 24 ft. Short length are acceptable and the number and min, length shall be agreed upon between mfg and purchaser.
3. The finished pipe shall be reasonably straight and shall have workmanlike finish, Removal of imperfections by grinding is permitted, provided the W.T are not decreased to the less than the permitted in Section 9 of Specification A999/A999M
4. Butt Weld End: According to ANSI B 16.25
5. Pipe Marking: Specified in A999/999M, include "Logo+Standard+SIZE+Heat No.+Lot No.+H.T/E.T/U.T"
6. Packing: Each Pipe end is protected by Plastic cap. Then packed by Anti-rust steel strip, The outside of the bundle is plastic woven bag, or Plastic film.
7. Packing Mark: SIZE + STEEL GRADE+ QTY OF PIECE/WEIGHT/METRE.
- 8.MTC: BWSS Official Original MTC paper will be supplied for each order.



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china