



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



2507 UNS S32750 Seamless Duplex Steel Pipe For Export Standard Package

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 19-219mm
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: 2507
- Standard: A789
- Type: Seamless
- Technique: Cold Rolling
- Surface: Bright Anneling
- Name: Duplex Steel Pipe
- Highlight: **S32750 Seamless Duplex Steel Pipe, UNS Seamless Duplex Steel Pipe**



Product Description

Duplex Stainless Steel pipe and tube Super Duplex 2507 UNS S32750 ASTM A789 Price List for Export standard package

As one of the manufacturers of 2507 UNS S32750 seamless duplex steel pipe, exporter of 2507 UNS S32750 seamless stainless steel pipe, shareholder of 2507 UNS S32750 seamless duplex steel pipe, ss cold-drawn duplex steel pipe supplier with more than 15 years of production experience, Our 2507 UNS S32750 duplex steel pipe is competitively priced.

We offer 2507 duplex stainless steel tubing in various grades. Duplex stainless steel pipes include welded steel pipes and seamless steel pipes. Its shape can be divided into stainless steel round, square, rectangular, pipe and stainless steel, etc., mainly used in industrial, medical, machinery, decoration and other fields. The products are suitable for decorative building, interior decoration, industrial instrument and other industries

duplex steel pipe details description:

Item	
2. Material	S31500,S31803,S32900,S31260,S32750,S32550,W-Nr 1.4462, W-Nr 1.4417,W-Nr 1.4507,W-Nr 1.4501,W-Nr 1.4362,W-Nr 1.4410, W-Nr 1.4460, 2205, 2507, 2304,etc.
3. Specifications	Wall thickness 1.0-150mm(SCH10S-XXS)
	Outside diameter 3.0-2500mm(1/8"-100")
	Length 6m,5.8m,8m,11.8m,12m or as required.
4. Surface	Pickling, annealing, polishing, bright, sand blast, hair line, etc.
5. Price Term	Ex-work, FOB, CFR, CIF, or as required.
6. Payment Term	T/T, L/C, Western Union.
7. MOQ	500kg
8. Delivery Time	Prompt delivery or according to order's quantity.
9. Package	Export standard package: bundled wooden box, suit for all kinds of transport, or be required.

duplex steel pipe chemical composition:

Steel Grade	C≤	Mn≤	Si≤	S≤	P≤	Cr	Ni	Mo	Cu≤	N	
S32750((2507) 00Cr22Ni7Mo4N	0.03	1.20	0.80	0.020	0.035	24.0/ 26.0	6.0/ 8.0	3.0/ 5.0	0.50	0.24/ 0.32	
										0.05/ 0.10	
Steel Grade	Heat Treatment°C		Ab(MPa)≥		As(MPa)≥		EL≥		HB		HRC
S32750(2507) 00Cr22Ni5Mo3N	1025-1125		800		550		15		310		32

standard scope

This specification 2 covers grades of nominal wall thickness, stainless steel tubing for services requiring generalcorrosion resistance, with particular emphasis on resistance to stress corrosion cracking. These steels are susceptible to embrittlement if used for prolonged periods at elevated temperatures.

1.2 The values stated in either inch-pound units or SI units are to be regarded separately as standard. Within the text, the SI units are shown in brackets. The values stated in each system are not exact equivalents; therefore, each system must be used independently of the other. Combining values from the two systems may result in nonconformance with the specification. The inch-pound units shall apply unless the M designation of this specification is specified in the order.

products show:



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china